

Comfortstep L

The ladder for maximum working comfort that is also a visual highlights.

Product description

- The ladder for maximum working comfort that is also a visual highlights.
- Deep treads with padded front edge for standing comfort.
- Wall piece at the top so that the ladder rests securely.
- Also available as a shelf-ladder.
- 80 mm deep treads with padded front edges.
- Abrasion-resistant, anodised stiles.
- Outside width: 380 mm.
- Treads with plastic-cushioned front edges.
- Screwed connection between treads and stile.
- Treads and stiles made from extruded aluminium sections.
- Attractive appearance - ideal for use in offices, doctor's surgeries, law offices and sales rooms.



Hints and special features

Maximum comfort due to padded treads.

Complies with EN 131 Professional.

Product features

Coating	Connection Stile-Rung	Load capacity	Material	Pitch rung/tread
---------	-----------------------	---------------	----------	------------------



anodised	bolted	max. 150 kg	Aluminium	250 mm
Standards EN 131 professional	Stile depth 48 mm	Tread depth 80 mm	Type rung/tread padding on front tread edges	Warranty 10 years
certification-mark-pf TÜV-SÜD				

Product variants

SKU 41012	SKU 41013	SKU 41014
Number of treads 6	Number of treads 7	Number of treads 8
Overall length 1.87 m	Overall length 2.14 m	Overall length 2.4 m
Transport dimensions 1.870 mm × 382 mm × 90 mm	Transport dimensions 2.140 mm × 382 mm × 90 mm	Transport dimensions 2.410 mm × 382 mm × 90 mm
Weight 4.4 kg	Weight 5 kg	Weight 5.7 kg
Working height 2.75 m	Working height 3 m	Working height 3.25 m
SKU 41015	SKU 41016	
Number of treads 9	Number of treads 10	



Overall length	Overall length
2.68 m	2.95 m
Transport dimensions	Transport dimensions
2.680 mm × 382 mm × 90 mm	2.950 mm × 382 mm × 90 mm
Weight	Weight
6.3 kg	7 kg
Working height	Working height
3.5 m	3.75 m