ZARGES

DATA SHEET

# Alto L

The compact alternative—in terms of both size and weight, as well as price/performance.





## PRODUCT DESCRIPTION

- The compact alternative—in terms of both size and weight, as well as price/performance.
- Very light but still extremely stable.
- Rung depth: 30 mm
- Outside width: 350 mm.
- Replaceable 2-component plastic end caps ensure secure positioning without the risk of slipping.
- High strength, non-twist rung/stile connections.
- Rungs and stiles made from extruded aluminium sections.

## HINTS AND SPECIAL FEATURES

Complies with EN 131 Professional.

## PRODUCT FEATURES

| Property | Value |
|---|---|
| Certification | TÜV-SÜD |
| Coating | natural |
| Connection Stile-Rung | flanged |
| Load capacity | max. 150 kg |
| Material | Aluminium |

| Property | Value |
|---|---|
| Pitch rung/tread | 270 mm |
| Standards | EN 131 professional |
| Tread depth | 30 mm |
| Type rung/tread | serrated |
| Warranty | 10 years |

## PRODUCT VARIANTS

| | 41547 | 41548 | 41550 | 41552 | 41554 | 41556 |
|---|---|---|---|---|---|---|
| Number of rungs | 7 | 8 | 10 | 12 | 14 | 16 |
| Overall length | 2.21 m | 2.49 m | 3.05 m | 3.61 m | 4.17 m | 4.73 m |
| Stile depth | 58 mm | 58 mm | 58 mm | 58 mm | 68 mm | 68 mm |
| Transport dimensions | 2.210 mm × 350 mm × 60 mm | 2.490 mm × 350 mm × 60 mm | 3.050 mm × 350 mm × 60 mm | 3.610 mm × 350 mm × 60 mm | 4.170 mm × 350 mm × 65 mm | 4.730 mm × 350 mm × 70 mm |
| Weight | 4 kg | 4.4 kg | 6.1 kg | 7 kg | 8 kg | 9.2 kg |
| Wide crosspiece | – | – | 0.79 m | 0.79 m | 0.79 m | 0.89 m |
| Working height | 3.05 m | 3.35 m | 3.9 m | 4.4 m | 4.95 m | 5.5 m |

| | 41558 | 41560 | 41562 | 41564 |
|---|---|---|---|---|
| Number of rungs | 18 | 20 | 22 | 24 |
| Overall length | 5.29 m | 5.85 m | 6.41 m | 6.98 m |
| Stile depth | 73 mm | 73 mm | 85 mm | 85 mm |
| Transport dimensions | 5.290 mm × 350 mm × 80 mm | 5.850 mm × 350 mm × 80 mm | 6.410 mm × 350 mm × 80 mm | 6.970 mm × 350 mm × 90 mm |
| Weight | 10.5 kg | 11.5 kg | 13.2 kg | 14.4 kg |

| | 41558 | 41560 | 41562 | 41564 |
|---|---|---|---|---|
| Wide crosspiece | 0.89 m | 0.99 m | 0.99 m | 1.1 m |
| Working height | 6.05 m | 6.6 m | 7.15 m | 7.7 m |

## ACCESSORIES AND SPARE PARTS

### ACCESSORIES 23



**Bucket hook**
SKU 40115



**Ground spikes**
SKU 40939



**Gutter fastening**
SKU 40999



**Handrail**
SKU 41960 · 41990



**Hanging hooks**
SKU 40058 · 40059



**Hook-on platform**
SKU 40450



**Hook-on tool box**
SKU 40920



**Hooks for ladders with standard rungs, treads and extra wide rungs.**
SKU 40242 · 40243 · 40244




**Ladder holder, lockable**
SKU 40998



**Ladder stay / base stabiliser**
SKU 40250



**Mast wheel assembly**
SKU 8505



**Pivot foot with rubber tread 100 x 55 mm**
SKU 40997



**Pivot foot with rubber tread 125 x 50 mm**
SKU 40226



**Retractable stile extension for single-section ladders**
SKU 40222 · 40223 · 40224 · +1



**Special hook for ladders with rungs, treads and wide rungs**
SKU 821700 · 821701 · 821702 · +1



**Special hook for ladders with rungs, treads and wide rungs**
SKU 821704 · 821705 · 821706



**Stand-off bracket with tool tray**
SKU 40100



**Stile extension**
SKU 40922



**Stile extension for horizontal stabiliser bars**
SKU 41989



**Tension strap**
SKU 40960



**Theft protection**
SKU 8210



**Toolbag**
SKU 40300



**Top wheel assembly**
SKU 8110

### SPARE PARTS 7



**Antistatic plug-in end cap**
SKU 824321 · 824322



**Horizontal stabiliser bar**
SKU 800547 · 800548



**Inclination-angle indicator**
SKU 824369



**Plug-in end cap**
SKU 824350 · 824486 · 824302 · +2



**Push-on end cap**
SKU 824243



**Push-on end cap, antistatic**
SKU 824475 · 824282



**User instructions label**
SKU 800592

**ZARGES GMBH**
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/9/2026
Subject to change or error.