ZARGES

DATA SHEET

Everest 2E

The convenient solution for working at great heights with maximum ladder width for comfortable climbing and safe standing.





PRODUCT DESCRIPTION

- The convenient solution for working at great heights with maximum ladder width for comfortable climbing and safe standing.
- From length of 8.30 m – upper ladder with wheel assemblies. Wall wheels with wear-resistant surfaces that will not damage the wall.
- Convenient and precise rung-by-rung height adjustment in a grid of 280 mm.
- Both parts of the ladder can also be used separately as single ladders for Order Nos. 40245-40247
- A high level of stability thanks to extra-wide bottom ladder (490 mm).
- Plastic anti-friction insert and lift-off retainer.
- Replaceable 2-component plastic end caps ensure secure positioning without the risk of slipping.

HINTS AND SPECIAL FEATURES

Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Certification	TÜV-SÜD
Coating	natural
Connection Stile-Rung	flanged

Property	Value
External width of lower ladder	490 mm
Load capacity	max. 150 kg
Material	Aluminium
Pitch rung/tread	270 mm
Standards	EN 131 professional
Tread depth	30 mm
Type rung/tread	serrated
Warranty	10 years

PRODUCT VARIANTS

	40245	40246	40247	40248	40249	40214
Number of rungs	2 × 6	2 × 8	2 × 10	2 × 12	2 × 14	2 × 16
Overall length, extended	2.95 m	4.07 m	4.96 m	6.09 m	7.21 m	8.33 m
Overall length, retracted	1.83 m	2.39 m	3 m	3.56 m	4.07 m	4.7 m
Stile depth	58 mm	68 mm	68 mm	73 mm	85 mm	98 mm
Transport dimensions	1.830 mm × 500 mm × 130 mm	2.390 mm × 500 mm × 130 mm	3.000 mm × 500 mm × 140 mm	3.570 mm × 500 mm × 160 mm	4.130 mm × 500 mm × 160 mm	4.690 mm × 500 mm × 180 mm
Weight	7.6 kg	9.8 kg	13.5 kg	18 kg	19.5 kg	26.2 kg
Wheels	–	–	–	–	–	Rubber
Wide crosspiece	–	0.9 m	1 m	1.1 m	1.2 m	1.2 m
Working height	3.8 m	4.85 m	5.75 m	6.8 m	7.9 m	9 m

	40215	40216	40217
Number of rungs	2 × 18	2 × 20	2 × 24
Overall length, extended	9.13 m	10.25 m	12.22 m
Overall length, retracted	5.2 m	5.74 m	6.9 m
Stile depth	98 mm	114 mm	114 mm
Transport dimensions	5.210 mm × 500 mm × 230 mm	5.770 mm × 500 mm × 230 mm	6.900 mm × 500 mm × 230 mm
Weight	28.8 kg	33 kg	41.5 kg
Wheels	Rubber	Rubber	Rubber
Wide crosspiece	1.2 m	1.2 m	1.2 m
Working height	9.75 m	10.85 m	12.75 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 22



Bucket hook
SKU 40115



Ground spikes
SKU 40939



Gutter fastening
SKU 40999



Hanging hooks
SKU 40058 · 40059



Hook-on platform
SKU 40450



Hook-on tool box
SKU 40920



Hooks for ladders with standard rungs, treads and extra wide rungs.
SKU 40242 · 40243 · 40244



Ladder holder, lockable
SKU 40998



Ladder stay / base stabiliser
SKU 40250



Mast wheel assembly
SKU 8505



Pivot foot with rubber tread 100 x 55 mm
SKU 40997



Pivot foot with rubber tread 125 x 50 mm
SKU 40226

Retractable stile extension for multi-section ladders
SKU 40254 · 40255



Special hook for ladders with rungs, treads and wide rungs
SKU 821700 · 821701 · 821702 · +1



Special hook for ladders with rungs, treads and wide rungs
SKU 821704 · 821705 · 821706



Stand-off bracket with tool tray
SKU 40100



Stile extension
SKU 40922



Stile extension for horizontal stabiliser bars
SKU 41989



Tension strap
SKU 40960



Theft protection
SKU 8210



Toolbag
SKU 40300



Top wheel assembly
SKU 8110

SPARE PARTS 13



Antistatic plug-in end cap
SKU 824321 · 824322 · 824323 · +1



Guide fitting
SKU 826250 · 826297 · 826260 · +3



Horizontal stabiliser bar
SKU 823475 · 823981



Inclination-angle indicator
SKU 824369



Lift-off retainer
SKU 821382



Plug-in end cap
SKU 824350 · 824302 · 824352 · +3



Push-on end cap
SKU 824243



Push-on end cap, antistatic
SKU 824475 · 824283



Rung hook
SKU 826148 · 826040



Rung slide piece
SKU 824732



User instructions label
SKU 800604



Wheel
SKU 826082



Wheel axle
SKU 823336 · 823256

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/10/2026
Subject to change or error.