DATA SHEET

Meistertritt S

Premium model with maximum safety features, an extra-large platform, Saferstep treads, and handrails.















PRODUCT DESCRIPTION

- Premium model with maximum safety features, an extra-large platform, Saferstep treads, and handrails.
- Extra-wide platform with an aluminum checker plate surface for greater freedom of movement on the ladder.
- With two handrails as standard for safe access.
- Treads 80 mm deep, with ZARGES Safer Step Technology.
- Spacious aluminum storage tray with plenty of room for tools and small parts.
- Optimum stability thanks to two high-strength Perlon belts for preventing splay.
- Height of the retaining bracket 1,000 mm.
- Robust design: flanged step-rail connection with extruded aluminum profiles.

HINTS AND SPECIAL FEATURES

Mobile version from 5 steps possible.
Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Certification	TÜV-SÜD
Coating	natural

Property	Value
Connection Stile-Rung	flanged
Load capacity	max. 150 kg
Material	Aluminium
Pitch rung/tread	265 mm
Platform length	380 mm
Platform width	390 mm
Standards	EN 131 professional
Stile depth	73 mm
Stile depth	58 mm
Stile depth steps/back stay	73mm / 58mm
Tray	Aluminium
Tread depth	80 mm
Type rung/tread	Safer Step
Warranty	10 years

PRODUCT VARIANTS

	41632	41633	41634	40477	40478	40479
Anti splay	–	–	Belt strap	Belt strap	Belt strap	Belt strap
Base	0,91 m × 0,59 m	1,08 m × 0,62 m	1,26 m × 0,65 m	1,43 m × 0,68 m	1,76 m × 0,74 m	2,11 m × 0,8 m
Number of rungs, incl. platform	3	4	5	6	8	10

	41632	41633	41634	40477	40478	40479
Overall base width	0.59 m	0.62 m	0.65 m	0.68 m	0.74 m	0.8 m
Overall length	1.92 m	2.2 m	2.48 m	2.75 m	3.32 m	3.88 m
Platform height	0.77 m	1.03 m	1.29 m	1.55 m	2.07 m	2.59 m
Transport dimensions	1.920 mm × 590 mm × 155 mm	2.200 mm × 620 mm × 155 mm	2.480 mm × 650 mm × 155 mm	2.750 mm × 680 mm × 155 mm	3.320 mm × 740 mm × 155 mm	approx. 3.880 mm × 800 mm × 155 mm
Vertical ladder height	1.77 m	2.03 m	2.29 m	2.55 m	3.07 m	3.59 m
Weight	9.5 kg	10.7 kg	12.1 kg	13.8 kg	16.7 kg	20.3 kg
Working height	2.8 m	3 m	3.3 m	3.55 m	4.1 m	4.6 m

	41635
Anti splay	Belt strap
Base	2,46 m × 0,86 m
Number of rungs, incl. platform	12
Overall base width	0.86 m
Overall length	4.44 m
Platform height	3.11 m
Transport dimensions	4.440 mm × 860 mm × 155 mm
Vertical ladder height	4.11 m
Weight	23.3 kg
Working height	5.1 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 14



Bucket hook
SKU 40115



Fastening chain
SKU 40252



Ground spikes
SKU 40939



Handrail
SKU 41960




Handrail, foldable
SKU 41999 · 41998



Horizontal stabiliser bar for retrofitting
SKU 41349 · 41401



Ladder holder, lockable
SKU 40998



Pivot foot with rubber tread 100 x 55 mm
SKU 40997



Pivot foot with rubber tread 125 x 50 mm
SKU 40226



Stile extension
SKU 40922



Tension strap
SKU 40960



Theft protection
SKU 8210



Toolbag
SKU 40300



Toolbag
SKU 40301

SPARE PARTS 9



Bracing
SKU 820816



Plug-in end cap
SKU 824350 · 824352



Push-on end cap
SKU 824424 · 824439 · 824438




Push-on end cap, antistatic
SKU 824475 · 824476



Push-on end cap, antistatic
SKU 824473 · 824474



Safer Step tread inset
SKU 800530



Splay prevention (belt strap)
SKU 827613 · 827675 · 827676 · +1



Tray
SKU 829820



User instructions label
SKU 800608

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/11/2026
Subject to change or error.