

## Seventec S

High stability, comfortable ascent and descent due to deep treads and smooth external stile surfaces that are comfortable to grip.

### Product description

- High stability, comfortable ascent and descent due to deep treads and smooth external stile surfaces that are comfortable to grip.
- Comfortable standing on a large platform with integrated hinge connection.
- Treads 85 mm deep for safe standing.
- Large safety platform (380 x 260 mm) with integrated hinged connection.
- Optimal stability thanks to the fold-down locking bar on both sides.
- Practical tray with plenty of space for tools and small items.
- Two integrated bucket hooks.
- 7-point connection between tread and stile with reinforcement in the centre of the tread.
- Smooth external stile surfaces that are comfortable to hold.
- Treads and stiles made from extruded aluminium sections.



### Hints and special features

Complies with EN 131 Professional.

### Product features

Anti splay	Rigid locking bar
Coating	natural
Connection Stile-Rung	riveted
Load capacity	max. 150 kg
Material	Aluminium
Pitch rung/tread	218 mm
Platform length	260 mm
Platform width	380 mm
Standards	EN 131 professional
Stile depth	87 mm
Stile depth	87 mm
Stile depth steps/back stay	87mm / 87mm
Tray	Aluminium
Tread depth	85 mm
Type rung/tread	serrated
Warranty	10 years
certification-mark-pf	TÜV-SÜD

## Product variants

	40333	40334	40335	40336	40337	40338
Base	0,73 m × 0,45 m	0,88 m × 0,47 m	1,04 m × 0,49 m	1,19 m × 0,51 m	1,35 m × 0,54 m	1,51 m × 0,56 m
Number of rungs, incl. platform	3	4	5	6	7	8
Overall base width	0.45 m	0.47 m	0.49 m	0.52 m	0.54 m	0.56 m



	40333	40334	40335	40336	40337	40338
Overall length	1.44 m	1.67 m	1.9 m	2.13 m	2.35 m	2.6 m
Platform height	0.7 m	0.9 m	1.1 m	1.35 m	1.55 m	1.75 m
Transport dimensions	1.450 mm × 460 mm × 250 mm	1.680 mm × 490 mm × 250 mm	1.910 mm × 510 mm × 250 mm	2.140 mm × 530 mm × 250 mm	2.360 mm × 560 mm × 250 mm	2.590 mm × 570 mm × 250 mm
Vertical ladder height	1.33 m	1.54 m	1.76 m	1.97 m	2.19 m	2.41 m
Weight	6 kg	7 kg	8 kg	9 kg	10.5 kg	13 kg
Working height	2.7 m	2.9 m	3.1 m	3.35 m	3.55 m	3.75 m

	40340
Base	1,82 m × 0,6 m
Number of rungs, incl. platform	10
Overall base width	0.61 m
Overall length	3.05 m
Platform height	2.2 m
Transport dimensions	3.050 mm × 630 mm × 250 mm
Vertical ladder height	2.82 m
Weight	14 kg
Working height	4.2 m

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

zarges@zarges.de

www.zarges.com

Effective 3/29/2026

Subject to change or error.