



EFAmix S

The special ladders for all applications in electrical environments.

Product description

- The special ladders for all applications in electrical environments.
- Can be used for work on electrical installations, thanks to insulating stiles made from glass-fibre-reinforced plastic.
- Complies with the high-voltage test for ladders of insulating material in accordance with DIN EN 61478.
- Aluminium alloy treads, 80 mm deep, with non-slip serrated surface.
- Safety platform (250 x 250 mm).
- Safe storage of accessories and tools in an aluminium storage tray.
- Only 88 mm wide when folded.
- Treads made from extruded aluminium section.



Hints and special features

Complies with EN 131 Professional.

Product features

| | |
|-----------------------|---------------------|
| Connection Stile-Rung | flanged |
| Load capacity | max. 150 kg |
| Material | Aluminium / plastic |
| Pitch rung/tread | 230 mm |



| | |
|-----------------------------|---------------------|
| Platform length | 250 mm |
| Platform width | 250 mm |
| Standards | EN 131 professional |
| Stile depth | 50 mm |
| Stile depth | 50 mm |
| Stile depth steps/back stay | 50mm / 50mm |
| Tray | Plastic |
| Tread depth | 80 mm |
| Type rung/tread | serrated |
| Warranty | 10 years |

Product variants

| | 40431 | 40432 | 40433 | 40434 | 40435 |
|---------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| Base | 0,75 m × 0,52 m | 0,91 m × 0,55 m | 1,07 m × 0,57 m | 1,24 m × 0,6 m | 1,4 m × 0,62 m |
| Number of rungs, incl. platform | 3 | 4 | 5 | 6 | 7 |
| Overall base width | 0.52 m | 0.55 m | 0.57 m | 0.6 m | 0.62 m |
| Overall length | 1.4 m | 1.65 m | 1.9 m | 2.15 m | 2.4 m |
| Platform height | 0.68 m | 0.91 m | 1.14 m | 1.37 m | 1.6 m |
| Transport dimensions | 1.390 mm × approx. 520 mm × 100 mm | 1.640 mm × approx. 550 mm × 100 mm | 1.890 mm × approx. 570 mm × 100 mm | 2.140 mm × approx. 600 mm × 100 mm | 2.390 mm × approx. 620 mm × 100 mm |
| Weight | 6 kg | 7 kg | 8 kg | 9 kg | 10 kg |
| Working height | 2.7 m | 2.9 m | 3.15 m | 3.35 m | 3.6 m |



ZARGES

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

zarges@zarges.de

www.zarges.com

Effective 6/28/2026

Subject to change or error.