ZARGES

DATA SHEET

Comfortstep B

Padded front edges on the steps protect your shins and make working at heights for extended periods much more comfortable.

PRODUCT DESCRIPTION

- Padded front edges on the steps protect your shins and make working at heights for extended periods much more comfortable.
- Deep treads with padded front edge for standing comfort.
- 80 mm deep treads with a padded front edge protect the shins.
- Non-slip two-component ladder feet with a large contact surface.
- Clean hands thanks to wear-resistant anodised stiles.
- High-strength polyester webbing with a sewn-in attachment loop – durable and resistant to wear and tear.
- Durable design for everyday use: extruded aluminum profiles.
- Screwed connection between treads and stile.



HINTS AND SPECIAL FEATURES

Maximum comfort due to padded treads.
Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Anti splay	Belt strap
Certification	TÜV-SÜD

Property	Value
Coating	anodised
Connection Stile-Rung	bolted
Load capacity	max. 150 kg
Material	Aluminium
Pitch rung/tread	250 mm
Standards	EN 131 professional
Tread depth	80 mm
Type rung/tread	padding on front tread edges
Warranty	10 years

PRODUCT VARIANTS

	41432	41433	41434	41435	41436	41437
Base	0,75 m × 0,45 m	0,95 m × 0,48 m	1,15 m × 0,51 m	1,35 m × 0,54 m	1,55 m × 0,56 m	1,76 m × 0,59 m
Number of treads	2 × 3	2 × 4	2 × 5	2 × 6	2 × 7	2 × 8
Overall base width	0.45 m	0.48 m	0.51 m	0.54 m	0.56 m	0.59 m
Overall length	0.84 m	1.11 m	1.38 m	1.65 m	1.92 m	2.19 m
Stile depth	42 mm	42 mm	42 mm	42 mm	42 mm	48 mm
Transport dimensions	840 mm × approx. 450 mm × 174 mm	1.110 mm × approx. 480 mm × 174 mm	1.380 mm × approx. 510 mm × 174 mm	1.650 mm × approx. 540 mm × 174 mm	1.920 mm × 560 mm × 174 mm	approx. 2.190 mm × 590 mm × 174 mm
Vertical ladder height	0.75 m	1 m	1.25 m	1.5 m	1.75 m	2 m
Weight	4.4 kg	5.8 kg	7.3 kg	8.8 kg	10.3 kg	12.2 kg
Working height	2.25 m	2.5 m	2.75 m	3 m	3.25 m	3.5 m

	41438	41430
Base	2,16 m × 0,65 m	2,36 m × 0,68 m
Number of treads	2 × 10	2 × 11
Overall base width	0.65 m	0.68 m
Overall length	2.72 m	2.99 m
Stile depth	48 mm	48 mm
Transport dimensions	2.725 mm × 650 mm × 174 mm	3.000 mm × 680 mm × 174 mm
Vertical ladder height	2.5 m	2.75 m
Weight	15.8 kg	17.6 kg
Working height	4 m	4.25 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 10



Fastening chain
SKU 40252



Folding bracket
SKU 8208




Hook-on tool box
SKU 40920



Ladder holder, lockable
SKU 40998



Non-marking ladder end caps
SKU 40309 · 40310



Pivot foot with rubber tread 100 x 55 mm
SKU 40997



Stile extension
SKU 40922



Tension strap
SKU 40960



Toolbag
SKU 40300



Toolbag
SKU 40301

SPARE PARTS 5



Front edge of tread
SKU 824115 · 824116 · 824117 · +1



Hinge
SKU 820935



Push-on end cap
SKU 824424 · 824438



Push-on end cap, antistatic
SKU 824473 · 824474



User instructions label
SKU 800606

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/9/2026
Subject to change or error.