DATA SHEET

Scana B

Lightweight, sturdy, fast—the anodised entry-level model for occasional use.













PRODUCT DESCRIPTION

- Lightweight, sturdy, fast—the anodised entry-level model for occasional use.
- Clean hands thanks to wear-resistant anodised stiles.
- Easy to get on and off the bus thanks to the 80-mm-deep treads.
- High-strength polyester webbing with a sewn-in attachment loop – durable and resistant to wear and tear.

HINTS AND SPECIAL FEATURES

Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Anti splay	Belt strap
Certification	TÜV-SÜD
Coating	anodised

Property	Value
Connection Stile-Rung	riveted
Load capacity	max. 150 kg
Material	Aluminium
Pitch rung/tread	216 mm
Standards	EN 131 professional
Stile depth	40 mm
Tread depth	80 mm
Type rung/tread	serrated
Warranty	10 years

PRODUCT VARIANTS

	44203	44204	44205	44206	44207
Base	0,59 m × 0,43 m	0,76 m × 0,45 m	0,91 m × 0,48 m	1,1 m × 0,5 m	1,28 m × 0,52 m
Number of treads	2 × 3	2 × 4	2 × 5	2 × 6	2 × 7
Overall base width	0.43 m	0.45 m	0.48 m	0.5 m	0.52 m
Overall length	0.71 m	0.94 m	1.17 m	1.4 m	1.66 m
Transport dimensions	710 mm × 430 mm × 160 mm	940 mm × 460 mm × 160 mm	1.170 mm × 480 mm × 160 mm	1.400 mm × 500 mm × 160 mm	1.630 mm × 530 mm × 160 mm
Vertical ladder height	0.66 m	0.87 m	1.09 m	1.3 m	1.52 m
Weight	3 kg	3.8 kg	4.8 kg	5.8 kg	6.8 kg
Working height	2.2 m	2.45 m	2.65 m	2.85 m	3.1 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 2



Hook-on tool box
SKU 40920



Ladder holder, lockable
SKU 40998

SPARE PARTS 2



Push-on end cap
SKU 800266



User instructions label
SKU 800606

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/10/2026
Subject to change or error.