

Vario B

Multi-function ladder that can be used on steps/stairs, with pull-out function for safe standing at great heights.

Product description

- Multi-function ladder that can be used on steps/stairs, with pull-out function for safe standing at great heights.
- Ideal for working on stairs, in sports halls, halls, etc.
- Convenient and precise rung-by-rung height adjustment in a grid of 280 mm.
- Locks safely by means of hooks with lift-off retainer.
- 2 sturdy horizontal stabiliser bars provide a wide standing base.
- High strength, non-twist rung/stile connections.
- Sturdy bolt-on fittings made from extruded aluminium sections.
- Replaceable 2-component plastic end caps ensure secure positioning without the risk of slipping.



Hints and special features

Ideal for use on steps/stairs as a result of rung-by-rung height adjustment on both sides.

Complies with EN 131 Professional.

Product features

Coating	Connection Stile-Rung	Load capacity	Material	Pitch rung/tread
---------	-----------------------	---------------	----------	------------------



natural	flanged	max. 150 kg	Aluminium	265 mm
Tread depth 30 mm	Type rung/tread serrated	Warranty 10 years	certification-mark-pf TÜV-SÜD	

Product variants

SKU 41322	SKU 41323	SKU 41324
Number of rungs 4 × 8	Number of rungs 4 × 10	Number of rungs 4 × 12
Overall length, extended 4.05 m	Overall length, extended 4.95 m	Overall length, extended 6.05 m
Overall length, retracted 2.4 m	Overall length, retracted 3.01 m	Overall length, retracted 3.57 m
Overall span 2.3 m	Overall span 2.7 m	Overall span 3.3 m
Stile depth 58 mm	Stile depth 73 mm	Stile depth 73 mm
Transport dimensions 2.387 mm × 426 mm × 258 mm	Transport dimensions 2.997 mm × 426 mm × 306 mm	Transport dimensions 3.569 mm × 426 mm × 306 mm
Weight 22.2 kg	Weight 27.3 kg	Weight 31.4 kg
Wide crosspiece 0.8 m	Wide crosspiece 0.9 m	Wide crosspiece 1 m
Working height	Working height	Working height



ZARGES

5.15 m

6 m

7 m

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

www.zarges.com

zarges@zarges.de

Effective
2/12/2026

Subject to change or error.

3/3