ZARGES

DATA SHEET

Roof ladders

Safe access to various roof pitches via high-stability stationary ladder with rungs arranged eccentrically.



PRODUCT DESCRIPTION

- Safe access to various roof pitches via high-stability stationary ladder with rungs arranged eccentrically.
- Safe, square rungs with 2 differently inclined tread surfaces.
- Robust stile sections ensure 80 mm safety clearance between the rungs and the roof surface.
- Problem-free coordination of the ladder to the relevant roof length.
- Off-centre rung arrangement.
- Maximum loading capacity 150 kg.
- Outside width: 340 mm.
- High strength, non-twist rung/stile connections.
- Rungs made from extruded aluminium sections for maximum safety.

HINTS AND SPECIAL FEATURES

Connecting straps are included with every roof ladder as standard.

PRODUCT FEATURES

Property	Value
Connection Stile-Rung	flanged
Ladder width	340 mm
Load capacity	max. 150 kg
Material	Aluminium

Property	Value
Pitch rung/tread	280 mm
Stile depth	110 mm
Tread depth	30 mm
Type rung/tread	serrated
Warranty	10 years

PRODUCT VARIANTS

	40395	40396	41237	40397	40398	40399
Coating	natural	natural	natural	powder-coated	powder-coated	powder-coated
Colour	Natural aluminium	Natural aluminium	Natural aluminium	Copper-brown	Copper-brown	Copper-brown
Number of rungs	7	10	15	7	10	15
Overall length	2 m	2.8 m	4.2 m	2 m	2.8 m	4.2 m
Transport dimensions	2.000 mm × 340 mm × 110 mm	2.800 mm × 340 mm × 110 mm	4.200 mm × 340 mm × 110 mm	2.000 mm × 340 mm × 110 mm	2.800 mm × 340 mm × 110 mm	4.200 mm × 340 mm × 110 mm
Weight	3.2 kg	4.8 kg	6.8 kg	3.2 kg	4.8 kg	6.8 kg

	41391	41393	41235	41392	41394	41236
Coating	powder-coated	powder-coated	powder-coated	powder-coated	powder-coated	powder-coated
Colour	Brick-red	Brick-red	Brick-red	brown	brown	brown
Number of rungs	7	10	15	7	10	15
Overall length	2 m	2.8 m	4.2 m	2 m	2.8 m	4.2 m
Transport dimensions	2.000 mm × 340 mm × 110 mm	2.800 mm × 340 mm × 110 mm	4.200 mm × 340 mm × 110 mm	2.000 mm × 340 mm × 110 mm	2.800 mm × 340 mm × 110 mm	4.200 mm × 340 mm × 110 mm

	41391	41393	41235	41392	41394	41236
Weight	3.2 kg	4.8 kg	6.8 kg	3.2 kg	4.8 kg	6.8 kg

	41395	41396	41397
Coating	powder-coated	powder-coated	powder-coated
Colour	Anthracite grey	Anthracite grey	Anthracite grey
Number of rungs	7	10	15
Overall length	2 m	2.8 m	4.2 m
Transport dimensions	2.000 mm × 340 mm × 110 mm	2.800 mm × 340 mm × 110 mm	4.200 mm × 340 mm × 110 mm
Weight	3.2 kg	4.8 kg	6.8 kg

ACCESSORIES AND SPARE PARTS

ACCESSORIES 3



Lock for roof ladder safety hooks
SKU 41695



Mobile ridge hook
SKU 40980



Roof safety hooks to DIN EN 517
SKU 40969 · 41386 · 40490 · +7

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/13/2026
Subject to change or error.