ZARGES

DATA SHEET

Plazamax P

This tried and tested access solution is very compact when folded and has rubber coating for safe and comfortable standing.







PRODUCT DESCRIPTION

- This tried and tested access solution is very compact when folded and has rubber coating for safe and comfortable standing.
- Safety bar with practical storage tray, optional on the 3-step variant, attached as standard on the 4- or 5-step variant.
- Large standing area: 230 x 360 mm.
- Large steps for safe and comfortable standing, with rubber surface.
- Collapsible for extra compactness.
- Stile ends with plastic edge finish.
- Stiles made from extruded aluminium sections for maximum stability.

HINTS AND SPECIAL FEATURES

Folds to a compact size for transport and storage.
Complies with EN 14 183

PRODUCT FEATURES

Property	Value
Coating	natural
Load capacity	max. 150 kg
Material	Aluminium

Property	Value
Pitch rung/tread	250 mm
Platform length	230 mm
Platform width	360 mm
Standards	EN 14183
Stile depth	70 mm
Tray	Plastic
Tread depth	230 mm
Type rung/tread	with non-slip rubber coating
Warranty	10 years

PRODUCT VARIANTS

	41927	41923	41928	41926	41925
Number of rungs, incl. platform	2	3	3	4	5
Overall base width	0.48 m	0.56 m	0.56 m	0.57 m	0.6 m
Platform height	0.45 m	0.7 m	0.7 m	0.9 m	1.15 m
Safety bow	No	No	Yes	Yes	Yes
Transport dimensions	560 mm × 500 mm × 90 mm	1.140 mm × 560 mm × 80 mm	1.140 mm × 570 mm × 130 mm	1.450 mm × 580 mm × 140 mm	1.760 mm × 580 mm × 140 mm
Weight	4.6 kg	7.2 kg	8.8 kg	11 kg	13.7 kg
Working height	2.45 m	2.7 m	2.7 m	2.9 m	3.15 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 1



Self-locking castors for safety steps, folding
SKU 41929

SPARE PARTS 4



Plug-in end cap
SKU 800242 · 800243



Plug-in end cap
SKU 800142 · 800143



Tray
SKU 800300



Tread plate
SKU 800237

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/13/2026
Subject to change or error.