

# ZAP Safemaster S

Safe ascent and descent due to non-slip treads and handrail, high degree of stability and compact transport dimensions.

## Product description

- Safe ascent and descent due to non-slip treads and handrail, high degree of stability and compact transport dimensions.
- Optimum stability thanks to rigid locking bar on both sides.
- Foldable anodised handrails allow it to take up less space during transport.
- The handle on the platform allows the ladder to be folded up quickly and effortlessly.
- Extra-large work platform (400 x 400 mm).
- Anodised handrails and guardrails.
- Generously sized storage tray for tools and small parts.
- Treads 80 mm deep, with ZARGES Safer Step Technology.
- Can be retrofitted with optional stabiliser sets to comply with EN 131, Part 7.



## Product features

Anti splay	Guardrail height	Load capacity	Platform length	Platform material
<b>Rigid locking bar</b>	<b>1000 mm</b>	<b>max. 150 kg</b>	<b>400 mm</b>	<b>Aluminium ribbed plate</b>

Platform width <b>400 mm</b>	Standards <b>EN 131 professional</b>	Stile depth <b>73 mm</b>	Stile depth <b>58 mm</b>	Stile depth steps/back stay <b>73mm / 58mm</b>
Tray <b>Aluminium</b>	Tread depth <b>80 mm</b>	Type rung/tread <b>Safer Step</b>	Warranty <b>10 years</b>	

## Product variants

SKU <b>41672</b>	SKU <b>41681</b>	SKU <b>41674</b>
Height including railing <b>1.53 m</b>	Height including railing <b>1.79 m</b>	Height including railing <b>2.06 m</b>
Number of rungs, incl. platform <b>2</b>	Number of rungs, incl. platform <b>3</b>	Number of rungs, incl. platform <b>4</b>
Overall base width <b>0.59 m</b>	Overall base width <b>0.62 m</b>	Overall base width <b>0.65 m</b>
Overall length <b>1.87 m</b>	Overall length <b>2.15 m</b>	Overall length <b>2.43 m</b>
Platform height <b>0.53 m</b>	Platform height <b>0.79 m</b>	Platform height <b>1.06 m</b>
Transport dimensions <b>approx. 1.870 mm × 620 mm × 210 mm</b>	Transport dimensions <b>approx. 2.150 mm × 620 mm × 210 mm</b>	Transport dimensions <b>approx. 2.430 mm × 630 mm × 210 mm</b>
Weight <b>10.6 kg</b>	Weight <b>11.8 kg</b>	Weight <b>13 kg</b>
Working height <b>2.53 m</b>	Working height <b>2.79 m</b>	Working height <b>3.06 m</b>

SKU	SKU	SKU
<b>41675</b>	<b>41676</b>	<b>41677</b>
Height including railing	Height including railing	Height including railing
<b>2.32 m</b>	<b>2.6 m</b>	<b>2.87 m</b>
Number of rungs, incl. platform	Number of rungs, incl. platform	Number of rungs, incl. platform
<b>5</b>	<b>6</b>	<b>7</b>
Overall base width	Overall base width	Overall base width
<b>0.68 m</b>	<b>0.71 m</b>	<b>0.74 m</b>
Overall length	Overall length	Overall length
<b>2.71 m</b>	<b>2.99 m</b>	<b>3.27 m</b>
Platform height	Platform height	Platform height
<b>1.32 m</b>	<b>1.58 m</b>	<b>1.85 m</b>
Transport dimensions	Transport dimensions	Transport dimensions
<b>approx. 2.710 mm × 680 mm × 210 mm</b>	<b>approx. 2.990 mm × 700 mm × 210 mm</b>	<b>approx. 3.270 mm × 720 mm × 210 mm</b>
Weight	Weight	Weight
<b>14.4 kg</b>	<b>16.1 kg</b>	<b>17.4 kg</b>
Working height	Working height	Working height
<b>3.32 m</b>	<b>3.58 m</b>	<b>3.85 m</b>
SKU	SKU	
<b>41678</b>	<b>41679</b>	
Height including railing	Height including railing	
<b>3.13 m</b>	<b>3.4 m</b>	
Number of rungs, incl. platform	Number of rungs, incl. platform	
<b>8</b>	<b>9</b>	



Overall base width <b>0.77 m</b>	Overall base width <b>0.8 m</b>
Overall length <b>3.55 m</b>	Overall length <b>3.83 m</b>
Platform height <b>2.11 m</b>	Platform height <b>2.34 m</b>
Transport dimensions <b>approx. 3.550 mm × 750 mm × 210 mm</b>	Transport dimensions <b>approx. 3.830 mm × 773 mm × 210 mm</b>
Weight <b>19.1 kg</b>	Weight <b>20.4 kg</b>
Working height <b>4.11 m</b>	Working height <b>4.34 m</b>