

Seventec RC S

The ladder for optimal safety in outdoor areas.

Product description

- The ladder for optimal safety in outdoor areas.
- Extra-deep treads with perforations for draining liquids (for use in oily or wet areas) and textured surface to ensure secure footing.
- Reflective strips on the stiles to improve visibility in poor visual conditions.
- 85 mm deep treads with perforation to allow liquids to flow off and profiling to ensure stability.
- Large safety platform (380 x 260 mm) with integrated hinged connection.
- Optimal stability thanks to the fold-down locking bar on both sides.
- Practical tray with plenty of space for tools and small items.
- Two integrated bucket hooks.
- 7-point connection between tread and stile with reinforcement in the centre of the tread.
- Smooth external stile surfaces that are comfortable to hold.
- Treads and stiles made from extruded aluminium sections.



Hints and special features

Complies with EN 131 Professional.

Product features

Anti splay Rigid locking bar	Coating natural	Connection Stile-Rung riveted	Load capacity max. 150 kg	Material Aluminium
Pitch rung/tread 218 mm	Platform length 260 mm	Platform width 380 mm	Standards EN 131 professional	Stile depth 87 mm
Stile depth 87 mm	Stile depth steps/back stay 87mm / 87mm	Tray Aluminium	Tread depth 85 mm	Type rung/tread RC tread
Warranty 10 years				

Product variants

SKU 40493	SKU 40494	SKU 40495
Base 0,71 m × 0,45 m	Base 0,88 m × 0,48 m	Base 1,05 m × 0,5 m
Number of rungs, incl. platform 3	Number of rungs, incl. platform 4	Number of rungs, incl. platform 5
Overall base width 0.45 m	Overall base width 0.47 m	Overall base width 0.49 m
Overall length 1.44 m	Overall length 1.67 m	Overall length 1.9 m
Platform height 0.7 m	Platform height 0.9 m	Platform height 1.1 m
Transport dimensions 1.450 mm × 460 mm × 250 mm	Transport dimensions 1.680 mm × 490 mm × 250 mm	Transport dimensions 1.910 mm × 510 mm × 250 mm



Vertical ladder height 1.31 m	Vertical ladder height 1.54 m	Vertical ladder height 1.79 m
Weight 6.3 kg	Weight 7.9 kg	Weight 8.1 kg
Working height 2.7 m	Working height 2.9 m	Working height 3.1 m