

# Seventec RC S

The ladder for optimal safety in outdoor areas.

## Product description

- The ladder for optimal safety in outdoor areas.
- Extra-deep treads with perforations for draining liquids (for use in oily or wet areas) and textured surface to ensure secure footing.
- Reflective strips on the stiles to improve visibility in poor visual conditions.
- 85 mm deep treads with perforation to allow liquids to flow off and profiling to ensure stability.
- Large safety platform (380 x 260 mm) with integrated hinged connection.
- Optimal stability thanks to the fold-down locking bar on both sides.
- Practical tray with plenty of space for tools and small items.
- Two integrated bucket hooks.
- 7-point connection between tread and stile with reinforcement in the centre of the tread.
- Smooth external stile surfaces that are comfortable to hold.
- Treads and stiles made from extruded aluminium sections.



## Hints and special features

Complies with EN 131 Professional.

## Product features



Anti splay	Coating	Connection Stile-Rung	Load capacity	Material
<b>Rigid locking bar</b>	<b>natural</b>	<b>riveted</b>	<b>max. 150 kg</b>	<b>Aluminium</b>
Pitch rung/tread	Platform length	Platform width	Standards	Stile depth
<b>218 mm</b>	<b>260 mm</b>	<b>380 mm</b>	<b>EN 131 professional</b>	<b>87 mm</b>
Stile depth	Stile depth steps/back stay	Tray	Tread depth	Type rung/tread
<b>87 mm</b>	<b>87mm / 87mm</b>	<b>Aluminium</b>	<b>85 mm</b>	<b>RC tread</b>
Warranty	certification-mark-pf			
<b>10 years</b>	<b>TÜV-SÜD</b>			

## Product variants

SKU <b>40493</b>	SKU <b>40494</b>	SKU <b>40495</b>
Base <b>0,71 m × 0,45 m</b>	Base <b>0,88 m × 0,48 m</b>	Base <b>1,05 m × 0,5 m</b>
Number of rungs, incl. platform <b>3</b>	Number of rungs, incl. platform <b>4</b>	Number of rungs, incl. platform <b>5</b>
Overall base width <b>0,45 m</b>	Overall base width <b>0,47 m</b>	Overall base width <b>0,49 m</b>
Overall length <b>1,44 m</b>	Overall length <b>1,67 m</b>	Overall length <b>1,9 m</b>
Platform height <b>0,7 m</b>	Platform height <b>0,9 m</b>	Platform height <b>1,1 m</b>
Transport dimensions <b>1,450 mm × 460 mm × 250 mm</b>	Transport dimensions <b>1,680 mm × 490 mm × 250 mm</b>	Transport dimensions <b>1,910 mm × 510 mm × 250 mm</b>



Vertical ladder height	Vertical ladder height	Vertical ladder height
<b>1.31 m</b>	<b>1.54 m</b>	<b>1.79 m</b>
Weight	Weight	Weight
<b>6.3 kg</b>	<b>7.9 kg</b>	<b>8.1 kg</b>
Working height	Working height	Working height
<b>2.7 m</b>	<b>2.9 m</b>	<b>3.1 m</b>