



## Seventec RC SP

Can be folded for space-saving transport and storage, perfect for outdoor applications thanks to profiled treads.

### Product description

- Can be folded for space-saving transport and storage, perfect for outdoor applications.
- Extra-deep treads with perforations for draining liquids (for use in oily or wet areas) and textured surface to ensure secure footing.
- Reflective strips on the stiles to improve visibility in poor visual conditions.
- 85 mm deep treads with perforation to allow liquids to flow off and profiling to ensure stability.
- Platform size approx. 600 x 300 mm.
- Rigid connection on both sides.
- Tools and small parts are always within reach thanks to the handy storage tray.
- Extra-wide treads and comfortable surfaces to stand on.
- Single-sided access.
- 7-point connection between tread and stile with reinforcement in the centre of the tread.
- Safety bar for comfortable and safe working.



### Hints and special features

Complies with EN 14 183

### Product features

Certification	TÜV-SÜD
Coating	natural
Connection Stile-Rung	riveted
Load capacity	max. 150 kg
Material	Aluminium
Pitch rung/tread	218 mm
Platform length	300 mm
Platform width	600 mm
Tray	Aluminium
Tread depth	85 mm
Type rung/tread	RC tread
Warranty	10 years

## Product variants

	40233	40234	40235
Number of rungs, incl. platform	3	4	5
Overall base width	0.67 m	0.69 m	0.72 m
Platform height	0.66 m	0.86 m	1.08 m
Standards	EN 14183	EN 14183	EN 131 professional
Transport dimensions	approx. 1.430 mm × approx. 675 mm × approx. 300 mm	approx. 1.670 mm × approx. 700 mm × approx. 300 mm	approx. 1.900 mm × approx. 725 mm × 300 mm
Weight	8.1 kg	10.3 kg	11.7 kg
Working height	2.66 m	2.86 m	3.08 m



ZARGES

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

[zarges@zarges.de](mailto:zarges@zarges.de)

[www.zarges.com](http://www.zarges.com)

Effective 5/15/2026

Subject to change or error.