

Seventec RC BP

Lightweight and comfortable platform with profiled treads and platform for outdoor applications for quick and flexible use.

Product description

- The lightweight and comfortable platform for outdoor use. Quick and flexible to use.
- Extra-deep treads with perforations for draining liquids (for use in oily or wet areas) and textured surface to ensure secure footing.
- Reflective strips on the stiles to improve visibility in poor visual conditions.
- 85 mm deep treads with perforation to allow liquids to flow off and profiling to ensure stability.
- Platform size approx. 600 x 300 mm.
- Rigid connection on both sides.
- Extra-wide treads and comfortable surfaces to stand on.
- Double-sided access.
- Platform with integrated hinged connection for maximum stability and rigidity.
- 7-point connection between tread and stile with reinforcement in the centre of the tread.



Hints and special features

Comfortable and safe standing through 600 × 300 mm work platform.

Complies with EN 14 183

Product features

Certification	TÜV-SÜD
Coating	natural
Connection Stile-Rung	riveted
Load capacity	max. 150 kg
Material	Aluminium
Pitch rung/tread	218 mm
Platform length	300 mm
Platform width	600 mm
Standards	EN 14183
Tread depth	85 mm
Type rung/tread	RC tread
Warranty	10 years

Product variants

	40392	40393	40394
Number of treads	2 × 2	2 × 3	2 × 4
Overall base width	0.7 m	0.75 m	0.8 m
Platform height	0.49 m	0.74 m	0.99 m
Transport dimensions	610 mm × 700 mm × 290 mm	860 mm × 750 mm × 290 mm	1.110 mm × 800 mm × 290 mm
Weight	5.2 kg	7.3 kg	10.2 kg
Working height	2.49 m	2.74 m	2.99 m



ZARGES

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

zarges@zarges.de

www.zarges.com

Effective 5/14/2026

Subject to change or error.