

ZAP R13master S

The universal platform ladder for all kinds of demanding applications. You can also use this ladder as a refuelling ladder to help you get work done quickly and safely.

Product description

- The universal platform ladder for all kinds of demanding applications. You can also use this ladder as a refuelling ladder to help you get work done quickly and safely.
- Our ladder is equipped with two removable mounts for securely holding underwing refuelling nozzles on the ladder's access section.
- A stabiliser on the ladder's support section ensures safe standing. Also available in other widths.
- The spacious platform (500x450mm) made of steel grating ensures maximum secure footing thanks to its R13 slip-resistance rating and design that allows liquids to drain off.
- Two wheels on the access section ensure easy ladder operation. The wheels can also be attached to the support section.
- 80 mm deep treads with R13 surface and perforations to drain fast.



Product features

Anti splay	Belt strap
Coating	natural



Connection Stile-Rung	flanged
Load capacity	max. 150 kg
Material	Natural aluminium
Pitch rung/tread	265 mm
Platform length	500 mm
Platform width	450 mm
Standards	EN 131-7
Stile depth	73 mm
Tread depth	80 mm
Type rung/tread	R13 tread
Warranty	10 years
non-static	Yes

Product variants

	40098	40099	40051
Number of rungs, incl. platform	4	5	6
Overall base width	1100 mm	1200 mm	1200 mm
Platform height	1.07 m	1.35 m	1.6 m
Transport dimensions	2.050 mm × 1.200 mm × 400 mm	2.350 mm × 1.250 mm × 400 mm	2.550 mm × 1.450 mm × 400 mm
Weight	17 kg	18 kg	20 kg
Wide crosspiece	1.1 m	1.2 m	1.4 m
Working height	3 m	3.35 m	3.6 m



ZARGES

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

zarges@zarges.de

www.zarges.com

Effective 4/2/2026

Subject to change or error.