ZARGES

DATA SHEET

ZAP R13master S

The universal platform ladder for any heavy-duty application! Or specifically as a refuelling ladder.





PRODUCT DESCRIPTION

- The universal platform ladder for any heavy-duty application! Or specifically as a refuelling ladder.
- Our ladder is equipped with two removable mounts for securely holding underwing refuelling nozzles on the ladder's access section.
- The crossbar on the ladder's support section ensures stability.
- The spacious platform (450 x 500 mm), made of steel grating with a slip resistance rating of R13, ensures maximum stability.
- Two electrically conductive rollers on the riser provide a simple method for moving the conductors.
- 80 mm deep treads with R13 tread and grooves, as well as perforations to allow liquids to drain, for noticeably better traction in any situation.

PRODUCT FEATURES

Property	Value
Anti splay	Belt strap
Coating	natural
Connection Stile-Rung	flanged
Load capacity	max. 150 kg
Material	Natural aluminium

Property	Value
Pitch rung/tread	265 mm
Platform length	500 mm
Platform width	450 mm
Standards	EN 131-7
Stile depth	73 mm
Tread depth	80 mm
Type rung/tread	R13 tread
Warranty	10 years
non-static	Yes

PRODUCT VARIANTS

	40098	40099	40051
Number of rungs, incl. platform	4	5	6
Overall base width	1100 mm	1200 mm	1200 mm
Platform height	1.07 m	1.35 m	1.6 m
Transport dimensions	2.050 mm × 1.200 mm × 400 mm	2.350 mm × 1.250 mm × 400 mm	2.550 mm × 1.450 mm × 400 mm
Weight	17 kg	18 kg	20 kg
Wide crosspiece	1.1 m	1.2 m	1.4 m
Working height	3 m	3.35 m	3.6 m

ACCESSORIES AND SPARE PARTS

SPARE PARTS 1



Splay prevention (belt strap)
SKU 827613

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/15/2026
Subject to change or error.