ZARGES

DATA SHEET

Compactstep L

The world champion when it comes to space-saving: extremely small format for transport, but wide rungs for a secure standing surface.















HINTS AND SPECIAL FEATURES

Complies with EN 131-6.

PRODUCT DESCRIPTION

- The world champion when it comes to space-saving: extremely small format for transport, but wide rungs for a secure standing surface.
- Can be adjusted to different heights - several ladders in one. As a result, it can be always be at the suitable height.
- Wide rungs for comfortable ascent and descent.
- When pushed together, the ladder fits into any luggage compartment.
- Clean hands thanks to wear-resistant anodised stiles.

PRODUCT FEATURES

Property	Value
Certification	TÜV Rheinland
Coating	anodised
Load capacity	max. 150 kg

Property	Value
Material	Aluminium
Pitch rung/tread	300 mm
Standards	EN 131-6
Tread depth	40 mm
Type rung/tread	serrated
Warranty	10 years

PRODUCT VARIANTS

	40400	40410	40401
Number of rungs	9	11	13
Overall length, extended	2.66 m	3.23 m	3.8 m
Overall length, retracted	0.76 m	0.82 m	0.88 m
Transport dimensions	760 mm × 470 mm × 80 mm	approx. 800 mm × approx. 500 mm × approx. 100 mm	880 mm × 500 mm × 100 mm
Weight	8.4 kg	13 kg	14 kg
Wide crosspiece	–	0.8 m	0.88 m
Working height	3.4 m	4 m	4.5 m

ACCESSORIES AND SPARE PARTS

SPARE PARTS 1



User instructions label
SKU 800595

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/8/2026
Subject to change or error.