

PaxTower S-PLUS 1T

The handy 1-click folding scaffold unit for discerning skilled workers, featuring the S-PLUS railing for greater safety during assembly and disassembly.

Product description

- Safer and quicker assembly and dismantling due to advanced guardrails and platforms at intervals of 2 m.
- One-piece fold out snap-frame with simple, one-handed lock and release operation, for quick and easy set up.
- Innovative toe board system with no clips – removes the need for toe board clips reducing the amount of loose components.
- Smooth slot-in spigots to prevent tilting when the end frames join together.
- Scaffolding length: 1.80 m; scaffolding width: 0.72 m.
- Scaffolding Category 3 (load capacity of up to 200 kg/m²) according to the new EN 1004.
- 125 mm swivel castors with brake; the castors can be fitted with castor adapters (order no. 42794) to allow for height adjustment.
- Stile and rung diameter 45 mm.



Product features

Claw type automatic	Fits through doorways Yes	Height-adjustable castors: No	Platform length 1.8 m	Platform length 1.8 m
-------------------------------	-------------------------------------	---	---------------------------------	---------------------------------

Platform size 0,6m × 1,8m	Platform width 0.6 m	Rung diameter 45 mm	Scaffolding class 3 (= 200 kg/m²)	Standards EN 1004-1
Stile diameter 45 mm	Warranty 10 years	Wheel diameter 125 mm	Width scaffolding 0.72 m	

Product variants

SKU 53521	SKU 53522	SKU 53523
Overall height 1.65 m	Overall height 2.65 m	Overall height 3.65 m
Platform height 0.55 m	Platform height 1.55 m	Platform height 2.55 m
Transport dimensions 1.950 mm × 750 mm × 400 mm	Transport dimensions 2.150 mm × 750 mm × 700 mm	Transport dimensions 2.150 mm × 750 mm × 750 mm
Weight 38.3 kg	Weight 71.4 kg	Weight 79.5 kg
Working height 2.55 m	Working height 3.55 m	Working height 4.55 m
SKU 53524	SKU 53525	SKU 53526
Overall height 4.65 m	Overall height 5.65 m	Overall height 6.65 m
Platform height 3.55 m	Platform height 4.55 m	Platform height 5.55 m

Transport dimensions 2.150 mm × 750 mm × 950 mm	Transport dimensions 2.150 mm × 750 mm × 1.100 mm	Transport dimensions 2.150 mm × 750 mm × 1.300 mm
Weight 108 kg	Weight 114.1 kg	Weight 142.6 kg
Working height 5.55 m	Working height 6.55 m	Working height 7.55 m
SKU 53510		
Overall height 1.65 m		
Platform height 0.55 m		
Transport dimensions 1.950 mm × 750 mm × 350 mm		
Weight 29.1 kg		
Working height 2.55 m		