DATA SHEET

Suprax

The comfortable and robust seat harness for rope-supported work.















PRODUCT DESCRIPTION

- The comfortable and durable sit harness for rope access and rescue. Designed to meet the highest requirements for comfort, strength, and practicality for daily rope access and rescue tasks, such as high-altitude rescue or industrial climbing. The Suprax offers an excellent fit, preventing pressure points and discomfort, while keeping equipment secure and perfectly organized. Numerous attachment elements and retention loops also allow for easy connection to various safety and work positioning systems.
- Breathable, wide back and hip pads, leg pads and shoulder straps are removable - for maximum comfort.
- Automatic buckle closures and a wide range of adjustment options for quick donning and an optimal fit.
- Foldable side attachment elements do not get in the way when climbing.
- WebAlert - warns about cracked belts.
- ZmartCheck - provides quick access to security-relevant information.
- Aluminium eyelets sternal, dorsal and ventral - light and robust.
- Robust material loops (20 kg load capacity) and a lanyard park ensure safe workplace organisation.
- A fall indicator is located on the lower back of the dorsal attachment point. If the load exceeds 6 kN, a label becomes visible: WARNING. Fall indicator.
- Label field on the product label bag.
- Suitable for people weighing up to 150 kg.

HINTS AND SPECIAL FEATURES

Complies with standards EN 361, EN 358, and EN 813.

PRODUCT FEATURES

Property	Value
Automatic buckles	Yes
Fabric	Polyester
Fall indicator	Yes
Fastening hardware	Yes
Material Attachment Point DSide	Aluminium
Material of the sternal attachment point	Aluminium
Material: Buckles	Aluminium
Material: Dorsal Attachment Point	Aluminium
Maximum service life	10 J
Maximum user weight	150 kg
NFC tag	Yes
Smart Check	Yes
Upholstery	Missing translation
Webové upozornění	Yes

PRODUCT VARIANTS

	47806	47807	47871
Attachment point	Sternal attachment point,Dorsal attachment point,Dorsal attachment point	Sternal attachment point,Dorsal attachment point,Dorsal attachment point	Sternal attachment point,Dorsal attachment point,Dorsal attachment point
Chair in the Air	–	–	Yes
Size	S-M	L-XXL	3XL
Standards	EN 361,EN 358,EN 813	EN 361,EN 358,EN 813	EN 361,EN 358,EN 813
Weight	2.4 kg	2.5 kg	2.6 kg

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/12/2026
Subject to change or error.