DATA SHEET

ZAP Safemaster Max S

With its extensive features, the new platform ladder sets new standards in safety and comfort, whilst impressing with its swift and intuitive handling. Meets all EN 131-7 criteria



PRODUCT DESCRIPTION

- With its extensive range of features, the new platform ladder sets new standards for safety and comfort and offers quick and easy handling. Meets all requirements of EN 131-7.
- The large platform with sturdy, all-round guardrail and automatic safety saloon door ensures optimal safety and allows users to work 360° at various heights with both hands free for the actual task.
- Convenient and safe access to and from steps that have a width of 80 mm (41440/41441) or 60 mm (41442–41444).
- Perfect work organisation with large, well-designed tool tray
- Large off-road wheels allow the product to be easily shifted even when fully assembled.
- Available in 5 sizes with a maximum working height of 3.70 m.













HINTS AND SPECIAL FEATURES

EN 131-7

PRODUCT FEATURES

Property	Value
Guardrail height	1 m

Property	Value
Load capacity	150 kg
Material	Natural aluminium
Platform length	550 mm
Platform material	glued plywood panel
Platform width	400 mm
Standards	EN 131-7
Tray	Plastic
Warranty	10 years

PRODUCT VARIANTS

	41429	41440	41441	41442	41443	41444
Height including railing	max. 1.53 m	max. 1.72 m	max. 1.97 m	max. 2.23 m	max. 2.48 m	max. 2.74 m
Number of rungs, incl. platform	2	3	4	5	6	7
Overall base width	0.67 m	0.69 m	0.78 m	0.67 m	0.67 m	0.67 m
Platform height	0.55 m	0.7 m	0.95 m	1.2 m	1.45 m	1.7 m
Transport dimensions	approx. 1.820 mm × approx. 670 mm × approx. 320 mm	approx. 2.060 mm × approx. 690 mm × approx. 320 mm	approx. 2.340 mm × approx. 780 mm × approx. 320 mm	approx. 2.620 mm × approx. 670 mm × approx. 320 mm	approx. 2.910 mm × approx. 670 mm × approx. 320 mm	approx. 3.180 mm × approx. 670 mm × approx. 320 mm
Weight	15 kg	16 kg	16.6 kg	24.9 kg	26.1 kg	27.4 kg
Working height	2.5 m	2.7 m	2.95 m	3.2 m	3.45 m	3.7 m

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/12/2026
Subject to change or error.