DATA SHEET

AFA P - 40033

The basic steps with low weight, high stability and convenient standing area.

PRODUCT DESCRIPTION



- The basic steps with low weight, high stability and convenient standing area.
- High-strength, welded tubular aluminium construction ensures stability and long service life.
- 200 mm deep steps made of non-slip ribbed aluminium sheet.
- 350 x 577 mm standing platform braced by a cross-strut.
- Maximum stability thanks to a wide standing surface.
- Stile ends with plastic edge finish.





HINTS AND SPECIAL FEATURES

Self-locking sprung castors available as an accessory from two steps upwards. Handrail available as an accessory from three steps upwards.
Complies with EN 14 183

PRODUCT FEATURES

Property	Value
Base	0,87 m × 0,69 m
Coating	natural
Connection between stiles and rungs/stiles	welded
Load capacity	max. 150 kg

Property	Value
Material	aluminium
Number of rungs, incl. platform	3
Platform height	0.6 m
Platform length	350 mm
Platform width	577 mm
Standards	EN 14183
Transport dimensions	692 mm × 871 mm × 600 mm
Tread depth	200 mm
Type of rungs/treads	serrated
Vertical distance between each rung/tread	200 mm
Warranty	10 years
Weight	7.8 kg
Working height	2.6 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 3



Footplates (1 set = 4 pcs.)
SKU 40037



Handrail for aluminium step stool
SKU 40038



Self-locking sprung castors (1 pack = 4 pcs.)
SKU 40036

SPARE PARTS 1



Plug-in end cap
SKU 800358

ZARGES (U.K.) LTD.
Blackwater Trading Estate,
The Causeway
CM9 4LJ Maldon, Essex

Tel: 01908 641118
sales@zarges.co.uk

www.zarges.com/uk
Effective 12/11/2026
Subject to change or error.