DATA SHEET

AMA P - 40263

The modular solution for flexible or stationary application: extendible from a step stool to a complete work platform in various heights.







PRODUCT DESCRIPTION

- The modular solution for flexible or stationary application: extendible from a step stool to a complete work platform in various heights.
- Modular design for changing or expanding configurations at any time – can be used as a mobile or stationary work platform.
- Lightweight for quick and convenient handling.
- Extremely robust, torsion-resistant, corrosion-proof aluminium alloy structure.
- Two-step basic module with up to three add-on steps suitable for mobile applications.
- Wide range of accessories for stationary or mobile applications.
- Add-on modules in four different heights.
- Comfortable, safe steps (555 × 250 mm) made from serrated aluminium sheet.

HINTS AND SPECIAL FEATURES

Complies with EN 14 183

PRODUCT FEATURES

Property	Value
Coating	natural
Connection between stiles and rungs/stiles	welded

Property	Value
Load capacity	max. 150 kg
Material	aluminium
Module combination	B + D
Module, individual	Module D
Overall platform depth	0.8 m
Platform height	0.6 m
Platform length	250 mm
Platform width	555 mm
Standards	EN 14183
Total max. weight	9.2 kg
Transport dimensions	630 mm × 290 mm × 590 mm
Tread depth	250 mm
Type of rungs/treads	serrated
Vertical distance between each rung/tread	200 mm
Warranty	10 years
Weight	4.4 kg
Working height	2.6 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 4



AMA bridging module
SKU 40273



Floor bracket for AMA
SKU 40269



Railings for AMA platform
SKU 40267



Roller set for AMA castors
SKU 40268

SPARE PARTS 4



Plug-in end cap
SKU 800295



Plug-in end cap
SKU 800296



Plug-in end cap, antistatic
SKU 800344



Plug-in end cap, antistatic
SKU 800343

ZARGES (U.K.) LTD.
Blackwater Trading Estate,
The Causeway
CM9 4LJ Maldon, Essex

Tel: 01908 641118
sales@zarges.co.uk

www.zarges.com/uk
Effective 12/11/2026
Subject to change or error.