DATA SHEET

# EFAmix S - 40431

The solution for work in an electrical environment.



## PRODUCT DESCRIPTION

- The solution for work in an electrical environment.
- Suitable for working on electrical installations thanks to insulated stiles made from glass-fibre-reinforced plastic.
- Meets the requirements of the high-voltage test for ladders made of insulting material in accordance with DIN EN 61 478.
- Aluminium treads, 80 mm deep, with non-slip ribbing.
- Safety platform (250 x 250 mm).
- Safe storage of accessories and tools in plastic storage tray.
- Only 88 mm wide when folded.
- Treads made of aluminium extrusion.

## HINTS AND SPECIAL FEATURES

Complies with EN 131 Professional.

## PRODUCT FEATURES

| Property | Value |
|---|---|
| Base | 0,75 m × 0,52 m |
| Connection between stiles and rungs/stiles | flanged |
| Load capacity | max. 150 kg |
| Material | Aluminium / plastic |
| Number of rungs, incl. platform | 3 |

| Property | Value |
| --- | --- |
| Overall base width | 0.52 m |
| Overall length | 1.4 m |
| Platform height | 0.68 m |
| Platform length | 250 mm |
| Platform width | 250 mm |
| Standards | EN 131 professional |
| Stile depth | 50 mm |
| Stile depth | 50 mm |
| Stile depth steps/back stay | 50mm / 50mm |
| Storage tray | Plastic |
| Transport dimensions | 1.390 mm × approx. 520 mm × 100 mm |
| Tread depth | 80 mm |
| Type of rungs/treads | serrated |
| Vertical distance between each rung/tread | 230 mm |
| Warranty | 10 years |
| Weight | 6 kg |
| Working height | 2.7 m |

# ACCESSORIES AND SPARE PARTS

## ACCESSORIES 3



**Ground spikes**
SKU 40939



**Stile extension**
SKU 40922



**Tension strap**
SKU 40960

## SPARE PARTS 3



**Push-on end cap**
SKU 800378



**Storage tray**
SKU 800434



**User instructions label**
SKU 800608

**ZARGES (U.K.) LTD.**
Blackwater Trading Estate,
The Causeway
CM9 4LJ Maldon, Essex

Tel: 01908 641118
sales@zarges.co.uk

www.zarges.com/uk
Effective 11/11/2026
Subject to change or error.