



Eurobox as a toolbox - 40708

The sturdy and lightweight transportation and storage solution with distinctive blue corners, but here as a toolbox.

Product description

- Rugged aluminium brackets on the inside for installing plastic inserts.
- Exchangeable inserts allow the box to be customised to your needs.
- Large, ergonomic handles and closures facilitate handling, even when the user is wearing gloves.
- Option of securing the box using the armoured hasp for shackle locks (up to 8 mm shackle thickness).
- Sturdy aluminium universal box.
- Aluminium brackets for holding plastic trays (order no. 40624 / 40625).
- Armoured hasp for shackle lock (up to 8 mm shackle thickness).
- Stacking corners made of impact-resistant plastic ensure secure stacking.
- Fasteners can be retrofitted with spring anti-opening feature for added protection against accidental opening.
- Fitted with two lid-holding straps.
- Lid with stainless-steel hinges and foamed seal all round in the lid.
- Edge, lid and base profile frames made of fully





welded aluminium sections for high stability.

- Corner beads for additional dimensional stability.
- Solid workmanship for a long service life and extremely high stacking and load capacity with low dead weight.
- ZARGES Comfort fastener for ergonomic use and an extremely long service life.
- Snap fasteners: can be secured with a plug lock, lead seals, spring anti-opening feature or a padlock (max. shackle thickness 6 mm).
- ZARGES Comfort handles for ergonomic handling and loads of up to 50 kg.
- High degree of resistance to corrosion thanks to stainless steel fittings.

Hints and special features

Clearance dimensions approx. 30 mm less than inside dimensions.

Delivery without content. Plastic inserts are accessories.

Product features

Colour of the stacking corners blue	Corner beading Yes	Fasteners Comfort fasteners	Handles Sprung drop handles	Integrated wheels No
Internal dimensions L x W x H 750 mm × 350 mm × 310 mm	Material aluminium	Material of the stacking corners Plastic	Number of handles 2	Outside dimensions max. L x W x H 800 mm × 400 mm × 340 mm
Peripheral beading	Seal	Stacking corners	Volume	Weight



No	foamed lid seal	Yes	81 l	6.7 kg
----	-----------------	-----	------	--------