



## Megastep S - 41147

The strongest of all our ladders: high load capacity and modern design for the most exacting requirements.

### Product description

- The strongest of all our ladders: high load capacity and modern design for the most exacting requirements.
- Platform that allows personnel to stand safely and comfortably even when working for extended periods.
- Practical storage tray with plenty of space for tools and small parts.
- Max. load 250 kg.
- Wide aluminium alloy rungs, 60 mm deep, with non-slip ribbing.
- Black, wear-resistant anodised stiles.
- Platform made from aluminium extrusion (250 x 250 mm) for safe and comfortable standing even when working for longer periods of time.
- Practical aluminium storage tray for small items and tools.
- High-strength Perlon straps prevent splay.
- Replaceable two-component plastic end caps that attach securely to the stile and prevent the ladder from slipping.



### Hints and special features

Complies with EN 131 Professional.



## Product features

Anti-splay mechanism	Belt strap
Base	1,1 m × 0,5 m
Certification	TÜV-SÜD
Coating	anodised
Connection between stiles and rungs/stiles	flanged
Load capacity	max. 250 kg
Material	aluminium
No. of rungs incl. platform	5
Overall base width	0.5 m
Overall length	2.15 m
Platform height	1.33 m
Platform length	250 mm
Platform width	250 mm
Standards	EN 131 professional
Stile depth	73 mm
Stile depth	58 mm
Stile depth steps/back stay	73mm / 58mm
Storage tray	aluminium
Transport dimensions	2.155 mm × 505 mm × 150 mm
Tread depth	60 mm
Type of rungs/treads	SL Step



Vertical distance between each rung/tread 265 mm

Warranty 10 years

Weight 8 kg

Working height 3.35 m

ZARGES (U.K.) Ltd.

8 Holdom Avenue, Saxon Park Ind. Est.  
Bletchley MK1 1QU

Tel: 01908 641118

Fax:  
sales@zarges.co.uk

[www.zarges.com/uk](http://www.zarges.com/uk)

Effective 31/3/2026  
Subject to change or error.