




XLstep S - 41227

Light weight and easy to handle, as well as great value.

Product description

- Light weight and easy to handle, as well as great value.
- Large platform that allows personnel to stand safely and comfortably even when working for extended periods.
- Platform made from extruded aluminium (300 mm × 250 mm) for safe and comfortable standing even when working for longer periods of time.
- Wear-resistant, anodised stiles.
- Spacious aluminium storage tray for material and tools.
- 80 mm deep surfaces to stand on.
- Triple-riveted connection between rung and stile.
- High-strength Perlon straps prevent splay.



Hints and special features

Complies with EN 131 Professional.

Product features

Anti-splay mechanism	Belt strap
Base	1,43 m × 0,62 m
Certification	TÜV-SÜD
Coating	anodised



Connection between stiles and rungs/stiles	riveted
Load capacity	max. 150 kg
Material	aluminium
Number of rungs, incl. platform	7
Overall base width	0.62 m
Overall length	2.64 m
Platform height	1.74 m
Platform length	250 mm
Platform width	300 mm
Standards	EN 131 professional
Stile depth	48 mm
Stile depth	42 mm
Stile depth steps/back stay	48mm / 42mm
Storage tray	aluminium
Transport dimensions	approx. 2.640 mm × approx. 620 mm × approx. 155 mm
Tread depth	80 mm
Type of rungs/treads	serrated
Vertical distance between each rung/tread	250 mm
Vertical ladder height	2.42 m
Warranty	10 years
Weight	10.2 kg
Working height	3.75 m



ZARGES (U.K.) Ltd.

8 Holdom Avenue, Saxon Park Ind. Est.
Bletchley MK1 1QU

Tel: 01908 641118

Fax:
sales@zarges.co.uk

www.zarges.com/uk

Effective 2/4/2026
Subject to change or error.