



# K 424 XC Mobile Box - 41810

The new K 424 XC combines the legendary quality of ZARGES cases with new mobility.

## Product description

- With its built-in casters and extendable handle, the K 424 XC excels in terms of mobility and ergonomics.
- All-round beading and corner beading offer additional stability, allowing the box to withstand a load of up to 50 kg despite its low weight.
- Secure stackability thanks to cast aluminum stacking corners and integrated stacking elements in the support frame.
- Additional wheel sets are available for improved off-road performance.
- Sturdy, mobile aluminium box with long service life.
- Optimum mobility through integrated 50 mm wheels and pull-out handle (order no. 41810-41814) or second sprung drop handle on the end face (order no. 41815).
- Extremely smooth-running due to special castors,  $\varnothing$  50 mm, made from polyurethane and polyamide.
- ZARGES Comfort fasteners with extremely long service life, fitted with plug locks.
- High load-bearing capacity of up to 50 kg despite the low dead weight.
- UN approval for the transportation of hazardous goods possible at additional charge.
- Optional 125 mm wheel set or 220 mm off-road wheel set (for models with a volume of 60 litres and





above) available for use in difficult terrain.

- All-round beading and corner beads for additional dimensional stability.
- A wide range of adjustable interior fittings ensure versatility.
- Lid equipped with peripheral foamed seal for protection against dust and splash water.

## Hints and special features

Clearance dimensions approx. 30 mm less than inside dimensions (length and width). Special sizes on request.

## Product features

Colour of the stacking corners	Natural aluminium
Corner beading	No
Fasteners	Comfort fasteners
Handles	Sprung drop handles
Integrated wheels	Yes
Internal dimensions L x W x H	516 mm x 350 mm x 159 mm
Material	aluminium
Material of the stacking corners	aluminium
Max. gross weight dangerous goods permission	25 kg
Outside dimensions max. L x W x H	550 mm x 400 mm x 233 mm
Peripheral beading	No
Pull handle	3-section



Seal	foamed lid seal
Stacking corners	Yes
Total max. weight	25 kg
Volume	28 l
Weight	6.3 kg
Wheel diameter	50 mm

ZARGES (U.K.) Ltd.

Blackwater Trading Estate, The Causeway  
CM9 4LJ Maldon, Essex

Tel: 01908 641118

Fax:  
[sales@zarges.co.uk](mailto:sales@zarges.co.uk)

[www.zarges.com/uk](http://www.zarges.com/uk)

Effective 23/5/2026  
Subject to change or error.