



# K 424 XC Mobile Box - 41813

The new K 424 XC combines the legendary quality of ZARGES cases with new mobility.

## Product description

- The K 424 XC has excellent mobility and ergonomics owing to its integrated wheels and pull-out handles (for order no. 41810-41814) or second sprung drop handle on the end face (for order no. 41815).
- All-round beading and corner beading offer additional stability, allowing the box to withstand a load of up to 50 kg despite its low weight.
- Can be stacked securely thanks to stacking corners made of impact-resistant plastic and integrated stacking elements in the support frame. Also stackable with ZARGES K 470 boxes and Euroboxes.
- Can be fitted with an optional 125 mm wheel set or 220 mm off-road wheel set (for models with a volume of 60 litres and above) to improve its mobility on difficult terrain.
- Sturdy, mobile aluminium box with long service life.
- Optimum mobility through integrated 50 mm wheels and pull-out handle (order no. 41810-41814) or second sprung drop handle on the end face (order no. 41815).
- Extremely smooth-running due to special castors,  $\varnothing$  50 mm, made from polyurethane and polyamide.
- ZARGES Comfort fasteners with extremely long service life, fitted with plug locks.
- High load-bearing capacity of up to 50 kg despite





the low dead weight.

- UN approval for the transportation of hazardous goods possible at additional charge.
- Optional 125 mm wheel set or 220 mm off-road wheel set (for models with a volume of 60 litres and above) available for use in difficult terrain.
- All-round beading and corner beads for additional dimensional stability.
- A wide range of adjustable interior fittings ensure versatility.
- Lid equipped with peripheral foamed seal for protection against dust and splash water.

## Hints and special features

Clearance dimensions approx. 30 mm less than inside dimensions (length and width). Special sizes on request.

## Product features

Colour of the stacking corners	Natural aluminium
Corner beading	Yes
Fasteners	Comfort fasteners
Handles	Sprung drop handles
Integrated wheels	Yes
Internal dimensions L x W x H	750 mm x 450 mm x 310 mm
Material	aluminium
Material of the stacking corners	aluminium
Max. gross weight dangerous goods permission	35 kg



Outside dimensions max. L x W x H 800 mm × 500 mm × 385 mm

Peripheral beading Yes

Pull handle 2-section

Seal foamed lid seal

Stacking corners Yes

Total max. weight 35 kg

Volume 105 l

Weight 9.5 kg

Wheel diameter 50 mm

ZARGES (U.K.) Ltd.

8 Holdom Avenue, Saxon Park Ind. Est.  
Bletchley MK1 1QU

Tel: 01908 641118

Fax:  
sales@zarges.co.uk

[www.zarges.com/uk](http://www.zarges.com/uk)

Effective 3/4/2026  
Subject to change or error.