



K 424 XC Mobile Box full equipment package - 41817

A smart purchase – the most practical variants of a K 424 XC rolled into one.

Product description

- K 424 XC mobile box including equipment package at a saving.
- The practical organiser system keeps everything neatly arranged.
- The box moves very smoothly due to the special wheels made of polyurethane and polyamide.
- Tool-free installation of the 125 mm wheel set for mobility even on rough terrain.
- The accessory package includes a lid pocket (order no. 41820), an interior pocket (order no. 41823 or 41824), and a set of 125 mm casters (order no. 41818).
- Save money by purchasing the bundle, rather than by ordering items separately.
- Choice of 2 sizes.
- Extremely smooth-running due to special castors, \varnothing 50 mm, made from polyurethane and polyamide.
- ZARGES Comfort fasteners with extremely long service life, fitted with plug locks.
- UN approval for the transportation of hazardous goods possible at additional charge.
- High load-bearing capacity with low dead weight.



Hints and special features



Clear opening dimensions are approximately 30 mm smaller than the internal dimensions (length and width).

The combination of a lid bag and the practical 125 mm castor set makes the K 424 XC a universally adaptable companion

Product features

Basic model	41812
Colour of the stacking corners	Natural aluminium
Corner beading	Yes
Fasteners	Comfort fasteners
Handles	Sprung drop handles
Integrated wheels	Yes
Internal dimensions L x W x H	750 mm x 350 mm x 380 mm
Material	aluminium
Material of the stacking corners	aluminium
Number of handles	2
Outside dimensions max. L x W x H	800 mm x 400 mm x 455 mm
Peripheral beading	Yes
Pull handle	2-section
Seal	foamed lid seal
Stacking corners	Yes
Total max. weight	35 kg
Volume	99 l



Weight 10 kg

Wheel diameter 50 mm

ZARGES (U.K.) Ltd.

8 Holdom Avenue. Saxon Park Ind. Est.

Bletchley MK1 1QU

Tel: 01908 641118

Fax:

sales@zarges.co.uk

www.zarges.com/uk

Effective 14/5/2026

Subject to change or error.