




Nova S - 42453

The classic model for safe standing and comfortable working, with a practical storage tray and high-stability patented rung-stile connection.

Product description

- The classic model for safe standing and comfortable working, with a practical storage tray and high-stability patented rung-stile connection.
- Large standing platform with anti-slip serrated surface.
- Practical storage tray with plenty of space for tools and small parts.
- 80 mm deep surfaces to stand on.
- Stability through slip-resistant plastic end caps.
- Enclosed rung profile and integrated guide tube.



Hints and special features

Complies with EN 131 Professional.



Product features

Base	0,69 m × 0,42 m
Certification	TÜV-SÜD
Coating	natural
Connection between stiles and rungs/stiles	flanged
Load capacity	max. 150 kg



Material	aluminium
Number of rungs, incl. platform	3
Overall base width	0.42 m
Overall length	1.34 m
Platform height	0.61 m
Platform length	250 mm
Platform width	250 mm
Standards	EN 131 professional
Stile depth	48 mm
Stile depth	48 mm
Stile depth steps/back stay	48mm / 48mm
Storage tray	Plastic
Transport dimensions	1.350 mm × 420 mm × 120 mm
Tread depth	80 mm
Type of rungs/treads	serrated
Vertical distance between each rung/tread	216 mm
Vertical ladder height	1.22 m
Warranty	10 years
Weight	4.8 kg
Working height	2.6 m



ZARGES (U.K.) Ltd.

8 Holdom Avenue, Saxon Park Ind. Est.
Bletchley MK1 1QU

Tel: 01908 641118

Fax:
sales@zarges.co.uk

www.zarges.com/uk

Effective 22/4/2026
Subject to change or error.