



## Nova S - 42456

The sturdy classic among single-sided stepladders—ideal for a wide range of DIY projects.

### Product description

- The sturdy classic among single-sided stepladders—ideal for a wide range of DIY projects.
- Spacious platform for a comfortable standing position.
- Tools and small parts are always within reach thanks to the handy storage tray.
- Easy access up and down via sturdy 80-mm-deep treads.
- Robust design: flanged step-stile connection with a platform and extruded aluminum profiles.
- Stability through slip-resistant plastic end caps.
- Enclosed rung profile and integrated guide tube.



### Hints and special features

Complies with EN 131 Professional.

### Product features

|  |                 |
|--|-----------------|
| Base                                       | 1,14 m × 0,49 m |
| Certification                              | TÜV-SÜD         |
| Coating                                    | natural         |
| Connection between stiles and rungs/stiles | flanged         |
| Load capacity                              | max. 150 kg     |



|   |                            |
|---|----------------------------|
| Material                                  | aluminium                  |
| Number of rungs, incl. platform           | 6                          |
| Overall base width                        | 0.49 m                     |
| Overall length                            | 2.03 m                     |
| Platform height                           | 1.26 m                     |
| Platform length                           | 250 mm                     |
| Platform width                            | 250 mm                     |
| Standards                                 | EN 131 professional        |
| Stile depth                               | 48 mm                      |
| Stile depth                               | 48 mm                      |
| Stile depth steps/back stay               | 48mm / 48mm                |
| Storage tray                              | Plastic                    |
| Transport dimensions                      | 2.060 mm × 490 mm × 120 mm |
| Tread depth                               | 80 mm                      |
| Type of rungs/treads                      | serrated                   |
| Vertical distance between each rung/tread | 216 mm                     |
| Vertical ladder height                    | 1.86 m                     |
| Warranty                                  | 10 years                   |
| Weight                                    | 8 kg                       |
| Working height                            | 3.25 m                     |



ZARGES (U.K.) Ltd.

Blackwater Trading Estate, The Causeway  
CM9 4LJ Maldon, Essex

Tel: 01908 641118

Fax:  
[sales@zarges.co.uk](mailto:sales@zarges.co.uk)

[www.zarges.com/uk](http://www.zarges.com/uk)

Effective 7/6/2026  
Subject to change or error.