



## Nova S - 42457

The classic model for safe standing and comfortable working, with a practical storage tray and high-stability patented rung-stile connection.

### Product description

- The classic model for safe standing and comfortable working, with a practical storage tray and high-stability patented rung-stile connection.
- Large standing platform with anti-slip serrated surface.
- Practical storage tray with plenty of space for tools and small parts.
- 80 mm deep surfaces to stand on.
- High-strength Perlon straps prevent splay.
- Stability through slip-resistant plastic end caps.
- Enclosed rung profile and integrated guide tube.



### Hints and special features

Complies with EN 131 Professional.



### Product features

|  |                 |
|--|-----------------|
| Anti-splay mechanism                       | Belt strap      |
| Base                                       | 1,28 m × 0,51 m |
| Certification                              | TÜV-SÜD         |
| Coating                                    | natural         |
| Connection between stiles and rungs/stiles | flanged         |



|   |                            |
|---|----------------------------|
| Load capacity                             | max. 150 kg                |
| Material                                  | aluminium                  |
| Number of rungs, incl. platform           | 7                          |
| Overall base width                        | 0.51 m                     |
| Overall length                            | 2.26 m                     |
| Platform height                           | 1.48 m                     |
| Platform length                           | 250 mm                     |
| Platform width                            | 250 mm                     |
| Standards                                 | EN 131 professional        |
| Stile depth                               | 48 mm                      |
| Stile depth                               | 48 mm                      |
| Stile depth steps/back stay               | 48mm / 48mm                |
| Storage tray                              | Plastic                    |
| Transport dimensions                      | 2.270 mm × 520 mm × 120 mm |
| Tread depth                               | 80 mm                      |
| Type of rungs/treads                      | serrated                   |
| Vertical distance between each rung/tread | 216 mm                     |
| Vertical ladder height                    | 2.08 m                     |
| Warranty                                  | 10 years                   |
| Weight                                    | 9.1 kg                     |
| Working height                            | 3.5 m                      |



ZARGES (U.K.) Ltd.

8 Holdom Avenue, Saxon Park Ind. Est.  
Bletchley MK1 1QU

Tel: 01908 641118

Fax:  
[sales@zarges.co.uk](mailto:sales@zarges.co.uk)

[www.zarges.com/uk](http://www.zarges.com/uk)

Effective 22/4/2026  
Subject to change or error.