




## Nova S - 42458

The classic model for safe standing and comfortable working, with a practical storage tray and high-stability patented rung-stile connection.

### Product description

- The classic model for safe standing and comfortable working, with a practical storage tray and high-stability patented rung-stile connection.
- Large standing platform with anti-slip serrated surface.
- Practical storage tray with plenty of space for tools and small parts.
- 80 mm deep surfaces to stand on.
- High-strength Perlon straps prevent splay.
- Stability through slip-resistant plastic end caps.
- Enclosed rung profile and integrated guide tube.



### Hints and special features

Complies with EN 131 Professional.



### Product features

Anti-splay mechanism	Belt strap
Base	1,44 m × 0,54 m
Certification	TÜV-SÜD
Coating	natural
Connection between stiles and rungs/stiles	flanged



Load capacity	max. 150 kg
Material	aluminium
Number of rungs, incl. platform	8
Overall base width	0.54 m
Overall length	2.49 m
Platform height	1.7 m
Platform length	250 mm
Platform width	250 mm
Standards	EN 131 professional
Stile depth	48 mm
Stile depth	48 mm
Stile depth steps/back stay	48mm / 48mm
Storage tray	Plastic
Transport dimensions	2.500 mm × 540 mm × 120 mm
Tread depth	80 mm
Type of rungs/treads	serrated
Vertical distance between each rung/tread	216 mm
Vertical ladder height	2.29 m
Warranty	10 years
Weight	10.2 kg
Working height	3.7 m



ZARGES (U.K.) Ltd.

8 Holdom Avenue, Saxon Park Ind. Est.  
Bletchley MK1 1QU

Tel: 01908 641118

Fax:  
[sales@zarges.co.uk](mailto:sales@zarges.co.uk)

[www.zarges.com/uk](http://www.zarges.com/uk)

Effective 22/4/2026  
Subject to change or error.