DATA SHEET

Scana S - 44153

The lightweight, anodised entry-level model for short, occasional use.















PRODUCT DESCRIPTION

- The lightweight, anodised entry-level model for short, occasional use.
- Spacious platform for a comfortable standing position.
- Tools and small parts are always within reach thanks to the handy storage tray.
- Clean hands thanks to wear-resistant anodised stiles.
- Easy to get on and off the bus thanks to the 80-mm-deep treads.
- Optimal platform stability thanks to a sturdy extruded profile.

HINTS AND SPECIAL FEATURES

Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Base	0,67 m × 0,41 m
Certification	TÜV-SÜD
Coating	anodised

Property	Value
Connection between stiles and rungs/stiles	riveted
Load capacity	max. 150 kg
Material	aluminium
Number of rungs, incl. platform	3
Overall base width	0.41 m
Overall length	1.36 m
Platform height	0.59 m
Platform length	250 mm
Platform width	250 mm
Standards	EN 131 professional
Stile depth	40 mm
Stile depth	40 mm
Stile depth steps/back stay	40mm / 40mm
Storage tray	Plastic
Transport dimensions	1.370 mm × 410 mm × 110 mm
Tread depth	80 mm
Type of rungs/treads	serrated
Vertical distance between each rung/tread	216 mm
Vertical ladder height	1.2 m
Warranty	10 years

Property	Value
Weight	3.7 kg
Working height	2.6 m

ACCESSORIES AND SPARE PARTS

SPARE PARTS 3



Push-on end cap
SKU 800266



Storage tray
SKU 800311



User instructions label
SKU 800608

ZARGES (U.K.) LTD.
Blackwater Trading Estate,
The Causeway
CM9 4LJ Maldon, Essex

Tel: 01908 641118
sales@zarges.co.uk

www.zarges.com/uk
Effective 10/11/2026
Subject to change or error.