DATA SHEET

# Scana S - 44156

The lightweight, anodised entry-level model for short, occasional use.















## PRODUCT DESCRIPTION

- The lightweight, anodised entry-level model for short, occasional use.
- Spacious platform for a comfortable standing position.
- Tools and small parts are always within reach thanks to the handy storage tray.
- Clean hands thanks to wear-resistant anodised stiles.
- Easy to get on and off the bus thanks to the 80-mm-deep treads.
- High-strength polyester webbing with a sewn-in attachment loop – durable and resistant to wear and tear.
- Optimal platform stability thanks to a sturdy extruded profile.

## HINTS AND SPECIAL FEATURES

Complies with EN 131 Professional.

## PRODUCT FEATURES

| Property | Value |
|---|---|
| Anti-splay mechanism | Belt strap |
| Base | 1,1 m × 0,48 m |
| Certification | TÜV-SÜD |

| Property | Value |
| --- | --- |
| Coating | anodised |
| Connection between stiles and rungs/stiles | riveted |
| Load capacity | max. 150 kg |
| Material | aluminium |
| Number of rungs, incl. platform | 6 |
| Overall base width | 0.48 m |
| Overall length | 2.05 m |
| Platform height | 1.24 m |
| Platform length | 250 mm |
| Platform width | 250 mm |
| Standards | EN 131 professional |
| Stile depth | 40 mm |
| Stile depth | 40 mm |
| Stile depth steps/back stay | 40mm / 40mm |
| Storage tray | Plastic |
| Transport dimensions | 2.060 mm × 490 mm × 110 mm |
| Tread depth | 80 mm |
| Type of rungs/treads | serrated |
| Vertical distance between each rung/tread | 216 mm |
| Vertical ladder height | 1.85 m |

| Property | Value |
| --- | --- |
| Warranty | 10 years |
| Weight | 5.9 kg |
| Working height | 3.25 m |

## ACCESSORIES AND SPARE PARTS

### SPARE PARTS 4



**Push-on end cap**
SKU 800266



**Splay prevention (belt strap)**
SKU 873900



**Storage tray**
SKU 800311



**User instructions label**
SKU 800608

**ZARGES (U.K.) LTD.**
Blackwater Trading Estate,
The Causeway
CM9 4LJ Maldon, Essex

Tel: 01908 641118
sales@zarges.co.uk

www.zarges.com/uk
Effective 10/11/2026
Subject to change or error.