



Scana S - 44157

The lightweight, anodised entry-level model for short, occasional use.

Product description

- The lightweight, anodised entry-level model for short, occasional use.
- Spacious platform for a comfortable standing position.
- Tools and small parts are always within reach thanks to the handy storage tray.
- Clean hands thanks to wear-resistant anodised stiles.
- Easy to get on and off the bus thanks to the 80-mm-deep treads.
- High-strength polyester webbing with a sewn-in attachment loop – durable and resistant to wear and tear.
- Optimal platform stability thanks to a sturdy extruded profile.



Hints and special features

Complies with EN 131 Professional.

Product features

Anti-splay mechanism	Belt strap
Base	1,25 m × 0,51 m
Certification	TÜV-SÜD
Coating	anodised



Connection between stiles and rungs/stiles	riveted
Load capacity	max. 150 kg
Material	aluminium
Number of rungs, incl. platform	7
Overall base width	0.51 m
Overall length	2.29 m
Platform height	1.47 m
Platform length	250 mm
Platform width	250 mm
Standards	EN 131 professional
Stile depth	40 mm
Stile depth	40 mm
Stile depth steps/back stay	40mm / 40mm
Storage tray	Plastic
Transport dimensions	2.290 mm × 510 mm × 110 mm
Tread depth	80 mm
Type of rungs/treads	serrated
Vertical distance between each rung/tread	216 mm
Vertical ladder height	2.08 m
Warranty	10 years
Weight	6.6 kg
Working height	3.5 m



ZARGES (U.K.) Ltd.

8 Holdom Avenue, Saxon Park Ind. Est.
Bletchley MK1 1QU

Tel: 01908 641118

Fax:
sales@zarges.co.uk

www.zarges.com/uk

Effective 13/5/2026
Subject to change or error.