DATA SHEET

Scana S - 44157

The lightweight, anodised entry-level model for short, occasional use.















PRODUCT DESCRIPTION

- The lightweight, anodised entry-level model for short, occasional use.
- Spacious platform for a comfortable standing position.
- Tools and small parts are always within reach thanks to the handy storage tray.
- Clean hands thanks to wear-resistant anodised stiles.
- Easy to get on and off the bus thanks to the 80-mm-deep treads.
- High-strength polyester webbing with a sewn-in attachment loop – durable and resistant to wear and tear.
- Optimal platform stability thanks to a sturdy extruded profile.

HINTS AND SPECIAL FEATURES

Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Anti-splay mechanism	Belt strap
Base	1,25 m × 0,51 m
Certification	TÜV-SÜD

Property	Value
Coating	anodised
Connection between stiles and rungs/stiles	riveted
Load capacity	max. 150 kg
Material	aluminium
Number of rungs, incl. platform	7
Overall base width	0.51 m
Overall length	2.29 m
Platform height	1.47 m
Platform length	250 mm
Platform width	250 mm
Standards	EN 131 professional
Stile depth	40 mm
Stile depth	40 mm
Stile depth steps/back stay	40mm / 40mm
Storage tray	Plastic
Transport dimensions	2.290 mm × 510 mm × 110 mm
Tread depth	80 mm
Type of rungs/treads	serrated
Vertical distance between each rung/tread	216 mm
Vertical ladder height	2.08 m

Property	Value
Warranty	10 years
Weight	6.6 kg
Working height	3.5 m

ACCESSORIES AND SPARE PARTS

SPARE PARTS 4



Push-on end cap
SKU 800266



Splay prevention (belt strap)
SKU 873900



Storage tray
SKU 800311



User instructions label
SKU 800608

ZARGES (U.K.) LTD.
Blackwater Trading Estate,
The Causeway
CM9 4LJ Maldon, Essex

Tel: 01908 641118
sales@zarges.co.uk

www.zarges.com/uk
Effective 10/11/2026
Subject to change or error.