DATA SHEET

Combimaster DX - 44874

The inexpensive alternative for universal use as a extension ladder and stepladder.



PRODUCT DESCRIPTION

- The inexpensive alternative for universal use as a extension ladder and stepladder.
- Sturdy triangular rungs made from extruded profiles that have a horizontal stepping surface when in the use position.
- Can be used as a two-section push-up ladder or as a ladder with double-sided access.
- Anti-spread protection provided by high-strength polyester webbing with a sewn-in attachment tab.
- With cross-tube for stability.
- High strength, non-twist rung/stile connections.
- Stiles and guide fittings of aluminium extruded sections for maximum safety.
- Replaceable 2-component plastic end caps ensure positioning without risk of slipping.

HINTS AND SPECIAL FEATURES

Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Certification	TÜV-SÜD
Coating	natural
Connection between stiles and rungs/stiles	flanged

Property	Value
Length as trestle	3.86 m
Load capacity	max. 150 kg
Material	aluminium
Number of rungs	14
Number of rungs	2 × 14
Overall length, extended	6.9 m
Overall length, retracted	4.1 m
Standards	EN 131 professional
Stile depth	85 mm
Transport dimensions	4.090 mm × 430 mm × 135 mm
Tread depth	38 mm
Type of rungs/treads	serrated
Vertical distance between each rung/tread	265 mm
Warranty	10 years
Weight	18.2 kg
Wide crosspiece	1.1 m
Working height	7.6 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 4



Ground spikes
SKU 40939



Stile extension for horizontal stabiliser bars
SKU 41989



Tension strap
SKU 40960



Wall support / base stabiliser
SKU 40250

SPARE PARTS 9



End cap
SKU 824153



Guide fitting
SKU 800352



Horizontal stabiliser bar
SKU 800550



Plug-in end cap
SKU 824352



Plug-in end cap
SKU 824353



Push-on end cap
SKU 824243



Push-on end cap
SKU 800309



Splay prevention (belt strap)
SKU 800331



User instructions label
SKU 800594

ZARGES (U.K.) LTD.
Blackwater Trading Estate,
The Causeway
CM9 4LJ Maldon, Essex

Tel: 01908 641118
sales@zarges.co.uk

www.zarges.com/uk
Effective 9/11/2026
Subject to change or error.