



Variomaster T - 53794

For quick use and safe standing: folds to compact size and is quickly set up.

Product description

- For quick use and safe standing: folds to compact size and is quickly set up.
- Height can be effortlessly adjusted by just one person due to the self-locking mechanism similar to a push-up ladder.
- Can be easily folded to a compact size for transport and storage.
- Extendable stabilisers with sturdy height-adjustable foot plates for stability and for levelling out on uneven ground.
- Large-area work platform 0.50 x 1.95 m or 0.60 x 2.50 m.
- Peripheral railing for maximum work safety.
- Simple height adjustment according to the self-locking push-up ladder principle, allowing you to reach different heights with only one work platform.
- Operation of height adjustment by one person.
- Easily collapsible for transport and storage.
- Highly mobile and able to pass through doors when erected and collapsed thanks to rollers (Order No. 53794).
- No ballast weights are required for indoor use.
- Two sizes with height adjustment from 1.25 m to 2.46 m or 1.81 m to 3.58 m platform height.
- Scaffolding category 3 (maximum load of 200 kg/m²) according to DIN EN 1004.





Product features

| | |
|-------------------------------------------|----------------------------|
| Footpoint, stabiliser rod extended L x W | 1,9m x 2,3 m |
| Footpoint, stabiliser rod retracted L x W | 0,8m x 2,3 m |
| Guardrail height | 1 m |
| Load capacity | max. 195 kg |
| Overall height | 2,31m - 3,52m |
| Overall height | 2.31 m |
| Platform height | 1,25m - 2,46m |
| Platform length | 2.5 m |
| Platform material | glued plywood panel |
| Platform width | 0.6 m |
| Transport dimensions | 2.290 mm x 780 mm x 750 mm |
| Tread depth | 30 mm |
| Warranty | 10 years |
| Weight | 92 kg |
| Width, extended | 2.3 m |
| Width, retracted | 2.3 m |
| Working height | 4.5 m |
| closed length | 0.8 m |
| extended length | 1.9 m |



ZARGES (U.K.) Ltd.

8 Holdom Avenue, Saxon Park Ind. Est.
Bletchley MK1 1QU

Tel: 01908 641118

Fax:
sales@zarges.co.uk

www.zarges.com/uk

Effective 12/5/2026
Subject to change or error.