




## K 470 Universal Box

The K 470 product range offers an exceptional selection of 25 standard sizes. Their capacity ranges from 13 L to 829 L. Special sizes are also available.

### Product description

- Compact and secure storage and transport thanks to stacking corners made of cast aluminium.
- Large, ergonomic handles and closures facilitate handling, even when the user is wearing gloves.
- A whole host of quality features ensure a long service life, including fully welded profiles, stainless-steel hinges, beading and solid rivets. All K 470 models with base dimensions of 750 x 550 mm and above are made of extra-thick 1.5 mm sheet metal to provide added stability.
- 25 standard sizes, customised sizes on request.
- Lid with stainless steel hinge strip, two lid straps and foamed seal all round.
- Stacking corners made from diecast aluminium ensure safe stacking.
- High level of stability due to 3 fully-welded aluminium profile frames.
- UN approval for the transportation of hazardous goods possible at additional charge.
- ZARGES Comfort handles for ergonomic handling and loads of up to 50 kg.
- Depending on height, beading all round and corner beading for extra stability of form.
- Snap fasteners: can be secured with a plug lock, lead seals, protection against bursting open or a padlock (max. shackle thickness 6 mm).
- Ergonomic & durable C. fasteners for at least 20,000 operating cycles.
- Extra thick 1.5-mm sheet metal for all K470 containers from basic dimensions of 750 x 550 mm.



### Hints and special features



Clearance measurement approx. 30mm (1.2") less than internal dimension (length and width). Special sizes on request.

IP 65 rating available at add charge.

Embossing available at additional cost.

## Product features

Colour of the stacking corners <b>Natural aluminium</b>	Fasteners <b>Comfort fasteners</b>	Handles <b>Sprung drop handles</b>	Integrated wheels <b>No</b>	Material <b>Aluminium</b>
Material of the stacking corners <b>Aluminium</b>	Seal <b>foamed lid seal</b>	Stacking corners <b>Yes</b>	Warranty <b>10 years</b>	

## Product variants

SKU <b>40835</b>	SKU <b>40677</b>	SKU <b>40810</b>
Corner beading <b>No</b>	Corner beading <b>Yes</b>	Corner beading <b>No</b>
Internal dimensions L x W x H <b>350 mm x 250 mm x 150 mm</b>	Internal dimensions L x W x H <b>350 mm x 250 mm x 310 mm</b>	Internal dimensions L x W x H <b>550 mm x 350 mm x 150 mm</b>
Matching foam lining <b>43860</b>	Matching foam lining <b>43861</b>	Matching foam lining <b>43862</b>
Max. gross weight dangerous goods permission <b>26 kg</b>	Max. gross weight dangerous goods permission <b>45 kg</b>	Max. gross weight dangerous goods permission <b>60 kg</b>
Outside dimensions max. L x W x H <b>400 mm x 300 mm x 180 mm</b>	Outside dimensions max. L x W x H <b>400 mm x 300 mm x 340 mm</b>	Outside dimensions max. L x W x H <b>600 mm x 400 mm x 180 mm</b>
Peripheral beading <b>No</b>	Peripheral beading <b>No</b>	Peripheral beading <b>No</b>
Volume	Volume	Volume



<b>13 l</b>	<b>27 l</b>	<b>29 l</b>
Weight <b>2.6 kg</b>	Weight <b>3.1 kg</b>	Weight <b>4.2 kg</b>
SKU <b>40568</b>	SKU <b>40678</b>	SKU <b>40564</b>
Corner beading <b>Yes</b>	Corner beading <b>Yes</b>	Corner beading <b>Yes</b>
Internal dimensions L x W x H <b>550 mm x 350 mm x 220 mm</b>	Internal dimensions L x W x H <b>550 mm x 350 mm x 310 mm</b>	Internal dimensions L x W x H <b>550 mm x 350 mm x 380 mm</b>
Matching foam lining <b>43863</b>	Matching foam lining <b>43864</b>	Matching foam lining <b>43865</b>
Max. gross weight dangerous goods permission <b>65 kg</b>	Max. gross weight dangerous goods permission <b>70 kg</b>	Max. gross weight dangerous goods permission <b>75 kg</b>
Outside dimensions max. L x W x H <b>600 mm x 400 mm x 250 mm</b>	Outside dimensions max. L x W x H <b>600 mm x 400 mm x 340 mm</b>	Outside dimensions max. L x W x H <b>600 mm x 400 mm x 410 mm</b>
Peripheral beading <b>No</b>	Peripheral beading <b>Yes</b>	Peripheral beading <b>Yes</b>
Volume <b>42 l</b>	Volume <b>60 l</b>	Volume <b>73 l</b>
Weight <b>4.8 kg</b>	Weight <b>5 kg</b>	Weight <b>5.3 kg</b>
SKU <b>40849</b>	SKU <b>40859</b>	SKU <b>40836</b>
Corner beading <b>Yes</b>	Corner beading <b>Yes</b>	Corner beading <b>Yes</b>
Internal dimensions L x W x H <b>550 mm x 550 mm x 220 mm</b>	Internal dimensions L x W x H <b>550 mm x 550 mm x 380 mm</b>	Internal dimensions L x W x H <b>550 mm x 550 mm x 580 mm</b>



Matching foam lining <b>43866</b>	Matching foam lining <b>43867</b>	Matching foam lining <b>43868</b>
Max. gross weight dangerous goods permission <b>65 kg</b>	Max. gross weight dangerous goods permission <b>75 kg</b>	Max. gross weight dangerous goods permission <b>94 kg</b>
Outside dimensions max. L x W x H <b>600 mm x 600 mm x 250 mm</b>	Outside dimensions max. L x W x H <b>600 mm x 600 mm x 410 mm</b>	Outside dimensions max. L x W x H <b>600 mm x 600 mm x 610 mm</b>
Peripheral beading <b>No</b>	Peripheral beading <b>Yes</b>	Peripheral beading <b>Yes</b>
Volume <b>66 l</b>	Volume <b>115 l</b>	Volume <b>175 l</b>
Weight <b>5.6 kg</b>	Weight <b>6.6 kg</b>	Weight <b>7.8 kg</b>
SKU <b>40837</b>	SKU <b>40839</b>	SKU <b>40841</b>
Corner beading <b>Yes</b>	Corner beading <b>Yes</b>	Corner beading <b>Yes</b>
Internal dimensions L x W x H <b>600 mm x 430 mm x 450 mm</b>	Internal dimensions L x W x H <b>600 mm x 560 mm x 440 mm</b>	Internal dimensions L x W x H <b>690 mm x 460 mm x 380 mm</b>
Matching foam lining <b>43869</b>	Matching foam lining <b>43871</b>	Matching foam lining <b>43873</b>
Max. gross weight dangerous goods permission <b>70 kg</b>	Max. gross weight dangerous goods permission <b>83 kg</b>	Max. gross weight dangerous goods permission <b>71 kg</b>
Outside dimensions max. L x W x H <b>650 mm x 480 mm x 480 mm</b>	Outside dimensions max. L x W x H <b>650 mm x 610 mm x 470 mm</b>	Outside dimensions max. L x W x H <b>740 mm x 510 mm x 410 mm</b>
Peripheral beading <b>Yes</b>	Peripheral beading <b>Yes</b>	Peripheral beading <b>Yes</b>
Volume	Volume	Volume



<b>116 l</b>	<b>148 l</b>	<b>121 l</b>
Weight <b>6.5 kg</b>	Weight <b>7.4 kg</b>	Weight <b>6.9 kg</b>
SKU <b>40842</b>	SKU <b>40843</b>	SKU <b>40565</b>
Corner beading <b>Yes</b>	Corner beading <b>Yes</b>	Corner beading <b>Yes</b>
Internal dimensions L x W x H <b>690 mm x 640 mm x 340 mm</b>	Internal dimensions L x W x H <b>690 mm x 640 mm x 430 mm</b>	Internal dimensions L x W x H <b>750 mm x 550 mm x 380 mm</b>
Matching foam lining <b>43874</b>	Matching foam lining <b>43875</b>	Matching foam lining <b>43877</b>
Max. gross weight dangerous goods permission <b>84 kg</b>	Max. gross weight dangerous goods permission <b>100 kg</b>	Max. gross weight dangerous goods permission <b>102 kg</b>
Outside dimensions max. L x W x H <b>740 mm x 690 mm x 370 mm</b>	Outside dimensions max. L x W x H <b>740 mm x 690 mm x 460 mm</b>	Outside dimensions max. L x W x H <b>800 mm x 600 mm x 410 mm</b>
Peripheral beading <b>Yes</b>	Peripheral beading <b>Yes</b>	Peripheral beading <b>Yes</b>
Volume <b>150 l</b>	Volume <b>190 l</b>	Volume <b>157 l</b>
Weight <b>8 kg</b>	Weight <b>8.6 kg</b>	Weight <b>10 kg</b>
SKU <b>40566</b>	SKU <b>40844</b>	SKU <b>40845</b>
Corner beading <b>Yes</b>	Corner beading <b>Yes</b>	Corner beading <b>Yes</b>
Internal dimensions L x W x H <b>750 mm x 550 mm x 580 mm</b>	Internal dimensions L x W x H <b>780 mm x 480 mm x 520 mm</b>	Internal dimensions L x W x H <b>900 mm x 480 mm x 400 mm</b>



Matching foam lining <b>43878</b>	Matching foam lining <b>43879</b>	Matching foam lining <b>43880</b>
Max. gross weight dangerous goods permission <b>126 kg</b>	Max. gross weight dangerous goods permission <b>103 kg</b>	Max. gross weight dangerous goods permission <b>93 kg</b>
Outside dimensions max. L x W x H <b>800 mm x 600 mm x 610 mm</b>	Outside dimensions max. L x W x H <b>830 mm x 530 mm x 550 mm</b>	Outside dimensions max. L x W x H <b>950 mm x 530 mm x 430 mm</b>
Peripheral beading <b>Yes</b>	Peripheral beading <b>Yes</b>	Peripheral beading <b>Yes</b>
Volume <b>239 l</b>	Volume <b>195 l</b>	Volume <b>173 l</b>
Weight <b>12 kg</b>	Weight <b>11.1 kg</b>	Weight <b>11 kg</b>
SKU <b>40846</b>	SKU <b>40567</b>	SKU <b>40847</b>
Corner beading <b>Yes</b>	Corner beading <b>Yes</b>	Corner beading <b>No</b>
Internal dimensions L x W x H <b>900 mm x 640 mm x 450 mm</b>	Internal dimensions L x W x H <b>950 mm x 450 mm x 380 mm</b>	Internal dimensions L x W x H <b>1.150 mm x 350 mm x 150 mm</b>
Matching foam lining <b>43881</b>	Matching foam lining <b>43882</b>	Matching foam lining <b>43887</b>
Max. gross weight dangerous goods permission <b>115 kg</b>	Max. gross weight dangerous goods permission <b>65 kg</b>	Max. gross weight dangerous goods permission <b>50 kg</b>
Outside dimensions max. L x W x H <b>950 mm x 690 mm x 480 mm</b>	Outside dimensions max. L x W x H <b>1.000 mm x 500 mm x 410 mm</b>	Outside dimensions max. L x W x H <b>1.200 mm x 400 mm x 180 mm</b>
Peripheral beading <b>Yes</b>	Peripheral beading <b>Yes</b>	Peripheral beading <b>No</b>
Volume	Volume	Volume



<b>259 l</b>	<b>162 l</b>	<b>60 l</b>
Weight <b>13.4 kg</b>	Weight <b>10.9 kg</b>	Weight <b>7.5 kg</b>
SKU <b>40580</b>	SKU <b>40848</b>	SKU <b>40875</b>
Corner beading <b>Yes</b>	Corner beading <b>Yes</b>	Corner beading <b>Yes</b>
Internal dimensions L x W x H <b>1.150 mm x 750 mm x 480 mm</b>	Internal dimensions L x W x H <b>1.350 mm x 400 mm x 220 mm</b>	Internal dimensions L x W x H <b>1.550 mm x 550 mm x 465 mm</b>
Matching foam lining <b>43884</b>	Matching foam lining <b>43888</b>	Matching foam lining <b>43885</b>
Max. gross weight dangerous goods permission <b>183 kg</b>	Max. gross weight dangerous goods permission <b>65 kg</b>	Max. gross weight dangerous goods permission <b>150 kg</b>
Outside dimensions max. L x W x H <b>1.200 mm x 800 mm x 510 mm</b>	Outside dimensions max. L x W x H <b>1.400 mm x 450 mm x 250 mm</b>	Outside dimensions max. L x W x H <b>1.600 mm x 600 mm x 495 mm</b>
Peripheral beading <b>Yes</b>	Peripheral beading <b>No</b>	Peripheral beading <b>Yes</b>
Volume <b>414 l</b>	Volume <b>119 l</b>	Volume <b>396 l</b>
Weight <b>20 kg</b>	Weight <b>9.5 kg</b>	Weight <b>23.5 kg</b>
SKU <b>40876</b>		
Corner beading <b>Yes</b>		
Internal dimensions L x W x H <b>1.650 mm x 750 mm x 670 mm</b>		



Matching foam lining

**43886**

Max. gross weight dangerous goods permission

**200 kg**

Outside dimensions max. L x W x H

**1.700 mm x 800 mm x 700 mm**

Peripheral beading

**Yes**

Volume

**829 l**

Weight

**30 kg**