



Eurobox

The sturdy and lightweight transportation and storage solution with distinctive blue corners and a comprehensive range of accessories.

Product description

- Blue stacking corners of impact-resistant plastic ensure safe stacking.
- The all-round foamed seal in the lid is highly durable and offers protection against dust and water splashes.
- A whole host of quality features ensure the product is sturdy and has a long service life, including fully welded profiles, corner beads and full rivets.
- Ergonomic handling due to ZARGES Comfort handles (load capacity of 50 kg) and ZARGES Comfort fasteners with extremely long service life.
- Peripheral foamed seal in the lid for protection against dust and splashwater.
- Fitted with two sturdy lid holding straps.
- ZARGES Comfort fastener for ergonomic operation and an extremely long service life.
- ZARGES Comfort handles for ergonomic handling and loads of up to 50 kg.
- Solid workmanship for a long service life and the highest stacking and carrying loads with low dead weight.
- Matched to pallet dimensions according to DIN 15 141.
- Sturdy aluminium universal box.





- Profile-section joints fully welded.
- High degree of resistance to corrosion thanks to stainless steel fittings.
- Corner beads for additional dimensional stability.
- Edge, lid and base profile frames made of fully welded aluminium sections for high stability.
- Fasteners can be retrofitted with additional spring protection against bursting open.
- Snap fasteners: can be secured with a plug lock, lead seals, protection against bursting open or a padlock (max. shackle thickness 6 mm).

Hints and special features

Clearance dimensions approx. 30 mm less than inside dimensions.

Product features

Colour of the stacking corners cyan	Corner beading Yes	Fasteners Comfort fasteners	Handles Sprung drop handles	Integrated wheels No
Material Aluminium	Material of the stacking corners Plastic	Peripheral beading No	Seal foamed lid seal	Stacking corners Yes
Volume 27 l	Weight 3 kg			

Product variants

SKU	SKU	SKU
-----	-----	-----



40700 Internal dimensions L x W x H 350 mm × 250 mm × 310 mm Outside dimensions max. L x W x H 400 mm × 300 mm × 340 mm	40701 Internal dimensions L x W x H 550 mm × 350 mm × 220 mm Outside dimensions max. L x W x H 600 mm × 400 mm × 250 mm	40702 Internal dimensions L x W x H 550 mm × 350 mm × 310 mm Outside dimensions max. L x W x H 600 mm × 400 mm × 340 mm
SKU 40703 Internal dimensions L x W x H 550 mm × 350 mm × 380 mm Outside dimensions max. L x W x H 600 mm × 400 mm × 410 mm	SKU 40711 Internal dimensions L x W x H 640 mm × 230 mm × 280 mm Outside dimensions max. L x W x H 690 mm × 280 mm × 310 mm	SKU 40704 Internal dimensions L x W x H 750 mm × 350 mm × 310 mm Outside dimensions max. L x W x H 800 mm × 400 mm × 340 mm
SKU 40705 Internal dimensions L x W x H 750 mm × 550 mm × 380 mm Outside dimensions max. L x W x H 800 mm × 600 mm × 410 mm	SKU 40706 Internal dimensions L x W x H 750 mm × 550 mm × 580 mm Outside dimensions max. L x W x H 800 mm × 600 mm × 610 mm	SKU 40709 Internal dimensions L x W x H 1.150 mm × 750 mm × 480 mm Outside dimensions max. L x W x H 1.200 mm × 800 mm × 510 mm
SKU 40710 Internal dimensions L x W x H 1.150 mm × 250 mm × 220 mm Outside dimensions max. L x W x H 1.200 mm × 300 mm × 250 mm		