



## **Eurobox** as toolbox

The sturdy and lightweight transportation and storage solution with distinctive blue corners, but here as a toolbox.

## **Product description**

- Rugged aluminium brackets on the inside for installing plastic inserts.
- Exchangeable inserts allow the box to be customised to your needs.
- Large, ergonomic handles and closures facilitate handling, even when the user is wearing gloves.
- Option of securing the box using the armoured hasp for shackle locks (up to 8 mm shackle thickness).
- Sturdy aluminium universal box.
- Aluminium corners inside for plastic inserts (Order No. 40624 / 40625).
- Armoured closing clasps for shackle lock (up to 8 mm shackle thickness).
- Blue stacking corners of impact-resistant plastic ensure safe stacking.
- Fasteners can be retrofitted with additional spring protection against bursting open.
- Fitted with two sturdy lid holding straps.
- Lid with stainless-steel hinges and foamed seal all round in the lid.
- Edge, lid and base profile frames made of fully welded aluminium sections for high stability.
- Corner beads for additional dimensional stability.
- Solid workmanship for a long service life and the highest stacking and carrying loads with low dead weight.
- ZARGES Comfort fastener for ergonomic operation and an extremely long service life.
- Snap fasteners: can be secured with a plug lock, lead seals, protection against bursting open or a padlock (max. shackle thickness 6 mm).
- ZARGES Comfort handles for ergonomic handling















and loads of up to 50 kg.

 High degree of resistance to corrosion thanks to stainless steel fittings.

# Hints and special features

Clearance dimensions approx. 30 mm less than inside dimensions.

Delivery without content. Plastic inserts are accessories.

#### **Product features**

Colour of the stacking corners  blue	Corner beading Yes	Fasteners  Comfort fasteners	Handles  Sprung drop handles	Integrated wheels
Material  Aluminium	Material of the stacking corners  Plastic	Number of handles 2	Peripheral beading  No	Seal foamed lid seal
Stacking corners Yes				

### **Product variants**

<b>40707</b>	<b>40708</b>	
Internal dimensions L x W x H  550 mm × 350 mm × 310 mm	Internal dimensions L x W x H  750 mm × 350 mm × 310 mm	
Outside dimensions max. L x W x H  600 mm × 400 mm × 340 mm	Outside dimensions max. L x W x H  800 mm × 400 mm × 340 mm	
Volume 60 I	Volume 81 I	
Weight 5.5 kg	Weight 6.7 kg	





