DATA SHEET

K 424 XC Mobile Box

The new K 424 XC combines the legendary quality of ZARGES cases with new mobility.









PRODUCT DESCRIPTION

- With its built-in casters and extendable handle, the K 424 XC excels in terms of mobility and ergonomics.
- All-round beading and corner beading offer additional stability, allowing the box to withstand a load of up to 50 kg despite its low weight.
- Secure stackability thanks to cast aluminum stacking corners and integrated stacking elements in the support frame.
- Additional wheel sets are available for improved off-road performance.
- Sturdy, mobile aluminium box with long service life.
- Optimum mobility through integrated 50 mm wheels and pull-out handle (order no. 41810-41814) or second sprung drop handle on the end face (order no. 41815).
- Extremely smooth-running due to special castors, ø 50 mm, made from polyurethane and polyamide.
- ZARGES Comfort fasteners with extremely long service life, fitted with plug locks.
- High load-bearing capacity of up to 50 kg despite the low dead weight.
- UN approval for the transportation of hazardous goods possible at additional charge.
- Optional 125 mm wheel set or 220 mm off-road wheel set (for models with a volume of 60 litres and above) available for use in difficult terrain.
- All-round beading and corner beads for additional dimensional stability.
- A wide range of adjustable interior fittings ensure versatility.
- Lid equipped with peripheral foamed seal for protection

against dust and splash water.

HINTS AND SPECIAL FEATURES

Clearance dimensions approx. 30 mm less than inside dimensions (length and width). Special sizes on request.

PRODUCT FEATURES

Property	Value
Colour of the stacking corners	Natural aluminium
Fasteners	Comfort fasteners
Handles	Sprung drop handles
Integrated wheels	Yes
Material	aluminium
Material of the stacking corners	aluminium
Seal	foamed lid seal
Stacking corners	Yes
Wheel diameter	50 mm

PRODUCT VARIANTS

	41810	41811	41812	41813	41814	41815
Corner beading	No	Yes	Yes	Yes	Yes	Yes
Internal dimensions L x W x H	516 mm × 350 mm × 159 mm	550 mm × 350 mm × 310 mm	750 mm × 350 mm × 380 mm	750 mm × 450 mm × 310 mm	750 mm × 635 mm × 410 mm	910 mm × 350 mm × 380 mm
Max. gross weight dangerous goods permission	25 kg	25 kg	35 kg	35 kg	35 kg	50 kg

	41810	41811	41812	41813	41814	41815
Outside dimensions max. L x W x H	550 mm × 400 mm × 233 mm	600 mm × 400 mm × 385 mm	800 mm × 400 mm × 455 mm	800 mm × 500 mm × 385 mm	800 mm × 685 mm × 485 mm	960 mm × 400 mm × 455 mm
Peripheral beading	No	Yes	Yes	Yes	Yes	Yes
Pull handle	3-section	3-section	2-section	2-section	2-section	2. Sprung drop handle
Total max. weight	25 kg	25 kg	35 kg	35 kg	35 kg	50 kg
Volume	28 l	60 l	99 l	105 l	195 l	120 l
Weight	6.3 kg	7.3 kg	9 kg	9.5 kg	12 kg	9.5 kg

ACCESSORIES AND SPARE PARTS

ACCESSORIES 11



Attaché insert
SKU 40626



Foam lining
SKU 43889 · 43864 · 43891 · +3



Inner bag with crosswise divider
SKU 41822 · 41823 · 41824 · +3



Lid bag
SKU 41820 · 41821



Off-road wheel set 220 mm
SKU 41819 · 41832 · 41833



Pick 'n Pluck foam set
SKU 43848 · 43854 · 43850 · +3

Shackle lock
SKU 46989



Stainless-steel anchoring cable
SKU 375891 · 41838



Tool bag
SKU 40627



TSA shackle lock
SKU 46789



Wheel set 125 mm
SKU 41818

ZARGES (U.K.) LTD.
Blackwater Trading Estate,
The Causeway
CM9 4LJ Maldon, Essex

Tel: 01908 641118
sales@zarges.co.uk

www.zarges.com/uk
Effective 11/11/2026
Subject to change or error.