



K 424 XC Mobile Box full equipment package

A smart purchase – the most practical variants of a K 424 XC rolled into one.

Product description

- K 424 XC mobile box including equipment package at a saving.
- The practical organiser system keeps everything neatly arranged.
- The box moves very smoothly due to the special wheels made of polyurethane and polyamide.
- The 125 mm wheel set can be mounted without tools to improve mobility on rough terrain.
- Equipment package contains a lid bag (order no. 41820), an inner bag (order no. 41823 or 41824) and the 125 mm wheel set (order no. 41818).
- Save money by purchasing the bundle, rather than by ordering items separately.
- Choice of 2 sizes.
- Extremely smooth-running due to special castors, \varnothing 50 mm, made from polyurethane and polyamide.
- ZARGES Comfort fasteners with extremely long service life, fitted with plug locks.
- UN approval for the transportation of hazardous goods possible at additional charge.
- High load-bearing capacity with low dead weight.



Hints and special features



Clearance dimensions approx. 30 mm less than inside dimensions.

The combination of a lid bag and the practical 125 mm castor set makes the K⁴²⁴ XC a universally adaptable companion

Product features

Colour of the stacking corners Natural aluminium	Corner beading Yes	Fasteners Comfort fasteners	Handles Sprung drop handles	Integrated wheels Yes
Material aluminium	Material of the stacking corners aluminium	Number of handles 2	Peripheral beading Yes	Seal foamed lid seal
Stacking corners Yes	Wheel diameter 50 mm			

Product variants

SKU 41816	SKU 41817
Basic model 41811	Basic model 41812
Internal dimensions L x W x H 550 mm × 350 mm × 310 mm	Internal dimensions L x W x H 750 mm × 350 mm × 380 mm
Outside dimensions max. L x W x H 600 mm × 400 mm × 385 mm	Outside dimensions max. L x W x H 800 mm × 400 mm × 455 mm
Pull handle 3-section	Pull handle 2-section



Total max. weight	25 kg	Total max. weight	35 kg
Volume	60 l	Volume	99 l
Weight	8.3 kg	Weight	10 kg