

# K 470 Plus shipping case - hood-type container

With the K470 Plus, ZARGES is following an innovative packaging concept: a two-part transportation system, comprising an upper and a lower section. This allows you to combine elements of different heights, creating a whole new range of possibilities.

## Product description

- A two-part transportation system consisting of a top and bottom section.
- The bottom part is available in two base dimensions and can be flexibly combined with top sections of different heights.
- Easy and ergonomic access to the contents via the lid or by removing the top part. This allows the contents to be easily lifted out and devices to be operated whilst they are inside the container.
- Stackable with products in the K 470 series.
- Customised versions available on request.
- Removable top section and lid with peripheral seal.
- Lid with stainless steel hinges and all-round foamed seal.
- 2 basic dimensions (550 x 350 mm and 750 x 550 mm) available as standard, special sizes available on request.
- Depending on height, beading all round and corner beading for extra stability of form.
- Stackable aluminium universal container.
- Stacking corners made from diecast aluminium ensure safe stacking.
- Profile-section joints fully welded.
- Snap fasteners: can be secured with a plug lock, lead seals, protection against bursting open or a padlock (max. shackle thickness 6 mm).
- Clearance measurement approx. 30mm (1.2") less than internal dimension (length and width). Special sizes on request.





- ZARGES Comfort handles for ergonomic handling and loads of up to 50 kg.
- ZARGES Comfort fastener for ergonomic operation and an extremely long service life.

## Product features


Colour of the stacking corners <b>Natural aluminium</b>	Fasteners <b>Comfort fasteners</b>	Handles <b>Sprung drop handles</b>	Integrated wheels <b>No</b>	Material <b>Aluminium</b>
Material of the stacking corners <b>Aluminium</b>	Seal <b>foamed lid seal</b>	Stacking corners <b>Yes</b>		

## Product variants

SKU <b>40500</b>	SKU <b>40501</b>	SKU <b>40502</b>
Corner beading <b>No</b>	Corner beading <b>Yes</b>	Corner beading <b>Yes</b>
Description <b>Bottom section</b>	Description <b>Top section: Total height with bottom section 150 mm: 370 mm</b>	Description <b>Top section: Total height with bottom section 150 mm: 530 mm</b>
Internal dimensions L x W x H <b>550 mm x 350 mm x 150 mm</b>	Internal dimensions L x W x H <b>550 mm x 350 mm x 230 mm</b>	Internal dimensions L x W x H <b>550 mm x 350 mm x 390 mm</b>
Outside dimensions max. L x W x H <b>600 mm x 400 mm x 180 mm</b>	Outside dimensions max. L x W x H <b>600 mm x 400 mm x 250 mm</b>	Outside dimensions max. L x W x H <b>600 mm x 400 mm x 410 mm</b>
Peripheral beading <b>No</b>	Peripheral beading <b>No</b>	Peripheral beading <b>Yes</b>
Volume <b>29 l</b>	Volume <b>42 l</b>	Volume <b>73 l</b>
Weight	Weight	



<b>2.6 kg</b>	<b>4 kg</b>	Weight <b>4.7 kg</b>
SKU <b>40503</b>	SKU <b>40504</b>	SKU <b>40505</b>
Corner beading <b>No</b>	Corner beading <b>Yes</b>	Corner beading <b>Yes</b>
Description <b>Bottom section</b>	Description <b>Bottom section</b>	Description <b>Top section: Total height 530 and 600 mm respectively</b>
Internal dimensions L x W x H <b>750 mm x 550 mm x 150 mm</b>	Internal dimensions L x W x H <b>750 mm x 550 mm x 220 mm</b>	Internal dimensions L x W x H <b>750 mm x 550 mm x 390 mm</b>
Outside dimensions max. L x W x H <b>800 mm x 600 mm x 180 mm</b>	Outside dimensions max. L x W x H <b>800 mm x 600 mm x 250 mm</b>	Outside dimensions max. L x W x H <b>800 mm x 600 mm x 410 mm</b>
Peripheral beading <b>No</b>	Peripheral beading <b>No</b>	Peripheral beading <b>Yes</b>
Volume <b>62 l</b>	Volume <b>91 l</b>	Volume <b>157 l</b>
Weight <b>4.8 kg</b>	Weight <b>5.5 kg</b>	Weight <b>8.6 kg</b>
SKU <b>40506</b>		
Corner beading <b>Yes</b>		
Description <b>Top section: Total height 730 and 800 mm respectively</b>		
Internal dimensions L x W x H <b>750 mm x 550 mm x 590 mm</b>		



Outside dimensions max. L x W x H

**800 mm x 600 mm x 610 mm**

Peripheral beading

**Yes**

Volume

**240 l**

Weight

**10.5 kg**