



K 470 Plus hood-type transport container

The K 470 Plus is an innovative packaging concept: a two-part transportation system consisting of upper part and lower part. Different height sections can be combined together for greater flexibility.

Product description

- A two-part transportation system consisting of a top and bottom section.
- The bottom part is available in two base dimensions and can be flexibly combined with top sections of different heights.
- Easy and ergonomic access to the contents via the lid or by removing the top part. This allows the contents to be easily lifted out and devices to be operated whilst they are inside the container.
- Compatible with the K 470 series.
- Customised versions available on request.
- The detachable upper section and lid are equipped with a peripheral seal.
- Lid with stainless steel hinges.
- "2 standard base dimensions (550 × 350 mm and 750 × 550 mm) are available
- Depending on the size, all-round beading and corner beads are added for extra dimensional stability.
- Stackable aluminium universal container.
- Stacking corners made of cast aluminium ensure secure stacking.
- Fully welded joints between profile sections.





- Snap fasteners: can be secured with a plug lock, lead seals, spring anti-opening feature or a padlock (max. shackle thickness 6 mm).
- Clearance dimensions approx. 30 mm less than inside dimensions (length and width). Special sizes on request.
- ZARGES Comfort Handles for ergonomic handling.
- ZARGES Comfort fastener for ergonomic use and an extremely long service life.

Product features

| | |
|----------------------------------|---------------------|
| Colour of the stacking corners | Natural aluminium |
| Fasteners | Comfort fasteners |
| Handles | Sprung drop handles |
| Integrated wheels | No |
| Material | aluminium |
| Material of the stacking corners | aluminium |
| Seal | foamed lid seal |
| Stacking corners | Yes |

Product variants



| | 40500 | 40501 | 40502 | 40503 | 40504 | 40505 |
|-----------------------------------|--------------------------|--|---|--------------------------|--------------------------|---|
| Corner beading | No | Yes | Yes | No | Yes | Yes |
| Description | lower section | Top section: Total height including base: 150 mm, 370 mm | Top section: Total height including base (150 mm): 530 mm | lower section | lower section | Upper section: Total height 530 or 600 mm |
| Internal dimensions L x W x H | 550 mm x 350 mm x 150 mm | 550 mm x 350 mm x 230 mm | 550 mm x 350 mm x 390 mm | 750 mm x 550 mm x 150 mm | 750 mm x 550 mm x 220 mm | 750 mm x 550 mm x 390 mm |
| Outside dimensions max. L x W x H | 600 mm x 400 mm x 180 mm | 600 mm x 400 mm x 250 mm | 600 mm x 400 mm x 410 mm | 800 mm x 600 mm x 180 mm | 800 mm x 600 mm x 250 mm | 800 mm x 600 mm x 410 mm |
| Peripheral beading | No | No | Yes | No | No | Yes |
| Volume | 29 l | 42 l | 73 l | 62 l | 91 l | 157 l |
| Weight | 2.6 kg | 4 kg | 4.7 kg | 4.8 kg | 5.5 kg | 8.6 kg |

| | 40506 |
|-----------------------------------|---|
| Corner beading | Yes |
| Description | Upper section: Total height 730 or 800 mm |
| Internal dimensions L x W x H | 750 mm x 550 mm x 590 mm |
| Outside dimensions max. L x W x H | 800 mm x 600 mm x 610 mm |
| Peripheral beading | Yes |
| Volume | 240 l |
| Weight | 10.5 kg |

ZARGES (U.K.) Ltd.

8 Holdom Avenue. Saxon Park Ind. Est.

Bletchley MK1 1QU

Tel: 01908 641118

Fax:
sales@zarges.co.uk

www.zarges.com/uk

Effective 14/5/2026
 Subject to change or error.