DATA SHEET

K 470 Plus hood-type transport container

The K 470 Plus is an innovative packaging concept: a two-part transportation system consisting of upper part and lower part. Different height sections can be combined together for greater flexibility.















PRODUCT DESCRIPTION

- A two-part transportation system consisting of a top and bottom section.
- The bottom part is available in two base dimensions and can be flexibly combined with top sections of different heights.
- Easy and ergonomic access to the contents via the lid or by removing the top part. This allows the contents to be easily lifted out and devices to be operated whilst they are inside the container.
- Compatible with the K 470 series.
- Customised versions available on request.
- The detachable upper section and lid are equipped with a peripheral seal.
- Lid with stainless steel hinges.
- "2 standard base dimensions (550 × 350 mm and 750 × 550 mm) are available
- Depending on the size, all-round beading and corner beads are added for extra dimensional stability.
- Stackable aluminium universal container.
- Stacking corners made of cast aluminium ensure secure stacking.
- Fully welded joints between profile sections.
- Snap fasteners: can be secured with a plug lock, lead seals, spring anti-opening feature or a padlock (max. shackle thickness 6 mm).
- Clearance dimensions approx. 30 mm less than inside dimensions (length and width). Special sizes on request.
- ZARGES Comfort Handles for ergonomic handling.

- ZARGES Comfort fastener for ergonomic use and an extremely long service life.

PRODUCT FEATURES

Property	Value
Colour of the stacking corners	Natural aluminium
Fasteners	Comfort fasteners
Handles	Sprung drop handles
Integrated wheels	No
Material	aluminium
Material of the stacking corners	aluminium
Seal	foamed lid seal
Stacking corners	Yes

PRODUCT VARIANTS

	40500	40501	40502	40503	40504	40505
Corner beading	No	Yes	Yes	No	Yes	Yes
Description	lower section	Top section: Total height including base: 150 mm, 370 mm	Top section: Total height including base (150 mm): 530 mm	lower section	lower section	Upper section: Total height 530 or 600 mm
Internal dimensions L x W x H	550 mm × 350 mm × 150 mm	550 mm × 350 mm × 230 mm	550 mm × 350 mm × 390 mm	750 mm × 550 mm × 150 mm	750 mm × 550 mm × 220 mm	750 mm × 550 mm × 390 mm
Outside dimensions max. L x W x H	600 mm × 400 mm × 180 mm	600 mm × 400 mm × 250 mm	600 mm × 400 mm × 410 mm	800 mm × 600 mm × 180 mm	800 mm × 600 mm × 250 mm	800 mm × 600 mm × 410 mm
Peripheral beading	No	No	Yes	No	No	Yes

	40500	40501	40502	40503	40504	40505
Volume	29 l	42 l	73 l	62 l	91 l	157 l
Weight	2.6 kg	4 kg	4.7 kg	4.8 kg	5.5 kg	8.6 kg

	40506
Corner beading	Yes
Description	Upper section: Total height 730 or 800 mm
Internal dimensions L x W x H	750 mm × 550 mm × 590 mm
Outside dimensions max. L x W x H	800 mm × 600 mm × 610 mm
Peripheral beading	Yes
Volume	240 l
Weight	10.5 kg

ACCESSORIES AND SPARE PARTS

ACCESSORIES 13



Add-on castors
SKU 40738



Attaché insert
SKU 40626



Catch-spring anti-opening feature
SKU 40834



Clip-On Trunnion Set
SKU 40741 · 40742



Lock Set
SKU 40832 · 40833



Pick 'n Pluck foam set
SKU 40735 · 40736

Shackle lock
SKU 46989



Supplementary kit for trolley
SKU 40740



Tool bag
SKU 40627



Trolley
SKU 40739



TSA shackle lock
SKU 46789



W 150 dolly trolley
SKU 40607 · 40608



W 152 dolly trolley
SKU 40680

ZARGES (U.K.) LTD.
Blackwater Trading Estate,
The Causeway
CM9 4LJ Maldon, Essex

Tel: 01908 641118
sales@zarges.co.uk

www.zarges.com/uk
Effective 10/11/2026
Subject to change or error.