



## K 470 universal container, IP 65

TÜV Süd-certified box with pressure equalization valve—ideal for all applications requiring enhanced protection against moisture, water spray, and dust.

### Product description

- TÜV Süd-certified box with pressure equalization valve—ideal for all applications requiring enhanced protection against moisture, water spray, and dust.
- IP 65 protection rating in accordance with DIN EN 60529, achieved by a foamed gasket integrated into the cover.
- 3 standard sizes ex stock, customised versions available on request.
- Also available with approval for the transportation of hazardous goods.
- Extra-thick aluminium sheets (1.5 mm) are used on all K 470 containers with base dimensions 750 x 550 mm and above.
- Automatic pressure-equalizing diaphragm.
- TÜV SÜD-certified.
- Available for most K 470 models.

### Hints and special features

UN approval for the transportation of hazardous goods possible at additional charge.

Clearance dimensions approx. 30 mm less than inside dimensions (length and width). Special sizes on request.





## Product features

Certification	TÜV Süd - IP 65
Colour of the stacking corners	Natural aluminium
Corner beading	Yes
Fasteners	Comfort fasteners
Integrated wheels	No
Material	aluminium
Material of the stacking corners	aluminium
Number of handles	2
Peripheral beading	Yes
Protection class	IP65:
Seal	foamed lid seal
Stacking corners	Yes
Warranty	10 years

## Product variants

	366206	366217	366218
Internal dimensions L x W x H	550 mm x 350 mm x 380 mm	750 mm x 550 mm x 380 mm	750 mm x 550 mm x 580 mm
Max. gross weight dangerous goods permission	75 kg	102 kg	126 kg
Outside dimensions max. L x W x H	600 mm x 400 mm x 410 mm	800 mm x 600 mm x 410 mm	800 mm x 600 mm x 610 mm
Volume	73 l	157 l	239 l
Weight	5.3 kg	10 kg	12 kg



ZARGES (U.K.) Ltd.

8 Holdom Avenue, Saxon Park Ind. Est.  
Bletchley MK1 1QU

Tel: 01908 641118

Fax:  
[sales@zarges.co.uk](mailto:sales@zarges.co.uk)

[www.zarges.com/uk](http://www.zarges.com/uk)

Effective 12/5/2026  
Subject to change or error.